

ACDelco.

2013 ACDelco Fluids and Chemicals Catalog

*Keeping America Moving with Quality,
Value and Confidence*



Welcome to the 2013 ACDelco Fluids and Chemicals Catalog — your source for the automotive fluids and chemicals your team needs to keep your customers' vehicles running smoothly. For more than 100 years, ACDelco has been supplying the right combination of quality products designed to maintain and extend vehicle life.

This catalog details the ACDelco automotive fluids and chemicals recommended for regularly scheduled maintenance and service events on most GM car and truck models.



2013 FLUIDS & CHEMICALS CATALOG TABLE OF CONTENTS

SERVICE EVENT QUICK REFERENCE GUIDE	i
GM RECOMMENDED FLUIDS AT GM RECOMMENDED INTERVALS	vi

PRODUCTS

ADHESIVES	1
AIR CONDITIONING	3
APPEARANCE	7
AXLE LUBES/FLUIDS	13
BODY SHOP	16
BRAKE CLEANERS AND FLUIDS	18
CARB/CHOKE CLEANER	19
ANTIFREEZE/COOLANTS	20
DIESEL EXHAUST FLUID	21
FUEL SYSTEM	22
LUBRICANTS/GREASES	23
PAINTS	28
POWER STEERING FLUIDS	30
SEALANTS	31
TRANSMISSION FLUIDS	34
MOTOR OILS	See Supplement

Product specifications and descriptions were correct at the time this catalog was printed. ACDelco reserves the right to improve, discontinue, or change any part of the copy, photography, and parts without notice.

ALPHABETICAL INDEX

ITEM	PAGE	ITEM	PAGE
Air Conditioner Compressor Oil (PAG-ND12)	3	DEXRON® Gear Fluid.	13
Air Conditioner Compressor Oil (PAG-PSD1)	3	DEXRON® LS Gear Oil (75W-90).	13
Air Conditioning Compressor Oil.	3	DEXRON®-VI Automatic Transmission Fluid	34
Air Conditioning Compressor Oil (46 Viscosity) - Bottle	3	DEXRON®-VI Automatic Transmission Fluid	34
Air Conditioning Compressor Oil (46 Viscosity) - Cartridge.	3	Dielectric Lubricant	23
Air Conditioning Oil POE.	3	Dielectric Silicone Grease	23
Anti-Corrosion Coating	16	Diesel Exhaust Fluid	21
Anti-Corrosion Compound (Wax-Based).	16	Diesel Exhaust Fluid Nozzle	21
Anti-Seize Lubricant	23	Diesel Fuel Conditioner	22
Auto Trak II Transfer Case Fluid.	13	Dri-Slide Lubricant	24
Automatic Transmission Fluid	34	E.O.S. Assembly Lubricant	24
Automatic Transmission Seal Conditioner	34	Electro-Hydraulic Power Steering Fluid	30
AW-1 Automatic Transmission Fluid	34	Flange Sealant.	31
Axle Lubricant GL-4 (80W-90).	13	Fluorescent Dye Remover.	4
Axle Lubricant GL-5 (80W-90).	13	Fluorescent Dye, 4-in-1.	4
Bonding Adhesive	1	Fluorescent Tracer for R-134a and R-1234yf	5
BOT 303 Modified Manual Transmission Fluid GL-4 (SAE 70W).	34	Foam Adhesive Kit	1
Brake and Clutch Fluid, DOT 3 GMW	18	Fuel System Treatment Plus	22
Brake and Clutch Fluid, DOT 4 GMW	18	Gasket Maker	31
Brake Caliper Lubricant.	23	Gasket Sealing Compound	31
Brake Caliper Lubricant - Cartridge	23	Gear Marking Compound	24
Brake Fluid, DOT 3	18	Gear Oil GL-5 (75W-90).	13
Brake Parts Cleaner (10% VOC)	18	Glass Adhesion Promoter	1
Brake Parts Cleaner (45% VOC)	18	Glass Cleaner	8
Car Trunk (Black/Aqua) Spatter Paint	28	GM Vehicle Care Bag	8
Car Trunk (Gray/White) Spatter Paint	28	GM Vehicle Care Detailing Bucket	8
Car Wash Shampoo	7	GM Vehicle Care Kit - Small	8
Carburetor and Choke Cleaner (10% VOC)	19	GMC Vehicle Care Kit - Large	8
Carburetor Tune-Up Conditioner.	19	Heavy Duty Cooling System Cleaner	5
Chassis Grease - Cartridge.	23	High Gloss Black Aerosol Engine Enamel Paint	28
Chevrolet Vehicle Care Kit - Large	7	High-Strength Plastic Repair Adhesive.	1
Chrome Cleaner and Polish.	7	High-Temperature Grease.	24
Cleaner Wax	7	High-Temperature, High-Strength Threadlocker - Red	31
Cloth/Carpet Cleaner Concentrate	7	Hot Melt Adhesive Sticks	1
Clutch Release Bearing Lubricant.	23	Hydraulic Fluid (Aeroshell 41)	24
Cold Climate Power Steering Fluid	30	Hydraulic Pump Fluid	35
Coolant System Fluorescent Tracer Dye.	20	Injector Pkg-Dye, Fluorescent Tracer (Tool)	5
Coolant System Tracer Dye.	3	Instant Gel Adhesive	1
Cooling Coil Coating - Refill for Applicator Kit	4	Leather and Vinyl Conditioner.	9
Cooling Coil Coating and Deodorizer	4	Leather, Vinyl and Plastic Cleaner.	9
Cooling Coil Coating Applicator Kit (Tool).	4	Limited Slip Axle Lubricant Additive	13
Cooling System Fast Flush	4	Low Gloss Black Aerosol Engine Enamel Paint	28
Cooling System Seal Tabs.	4	LSC 301 Manual Transmission Fluid	35
Corvette Vehicle Care Kit - Large	8	Manual Transmission Fluid	35
DEX-COOL® 50/50 Premix	20	Manual Transmission Fluid GL-3 (75W-90).	35
DEX-COOL® Extended Life	20	Manual Transmission Fluid GL-4 (SAE 75W-85)	35
Dex-CVT Automatic Transmission Fluid	34	Medium Body Seam-Sealing Compound	16
Dex-CVT Automatic Transmission Fluid Additive	34	Medium-Strength Threadlocker - Blue	31
		Metal Patch Panel Adhesive	16
		Micro Brush Package	16

ALPHABETICAL INDEX

ITEM	PAGE	ITEM	PAGE
Moisture Displacing Lubricant	24	Synthetic Axle Lubricant (75W-140)	14
Multi-Purpose Grease (Aerosol)	25	Synthetic Axle Lubricant GL-5 (75W-90)	14
Multi-Purpose Lubricant with PTFE - Cartridge.	25	Synthetic Gear Oil GL-5 (75W-140).	14
Nickel Anti-Seize Lubricant	25	Synthetic Manual Transmission Fluid (SAE 50)	36
Odor Eliminator	9	Synthetic Manual Transmission Fluid GL-4 (75W-90)	36
Optikleen® (Windshield Washer Solvent).	9	Synthetic Multi-Purpose Lubricant	26
Performance Parts Vehicle Care Kit - Large	9	Synthetic Multi-Purpose Lubriplate Lubricant.	26
Performance Parts Vehicle Care Kit - Small	9	Synthetic Transmission Fluid	36
Pipe Sealant with PTFE.	31	T-IV Automatic Transmission Fluid	36
Plastic Adhesion Promoter	2	Top Engine Cleaner - Aerosol	22
Plastic Bonding Adhesive	2	Traditional Coolant 50/50 Pre-Mix.	20
Plastic Installation Adhesive	2	Traditional Coolant Concentrate	20
Polishing Cloth	10	Transfer Case Fluid	15
Polishing Cloth - Bulk Roll	10	Ultra Violet (UV) Lamp Bulb - 12 Volt DC	17
Polishing Cloth - Gift Box	10	Ultra Violet (UV) Leak Detector Lamp Kit	17
Polishing Cloth - Holiday Box	10	Upholstery/Carpet Stain Remover - Gold Formula	11
Power Steering Fluid	30	Upholstery/Carpet Stain Remover - Red Formula	11
PTU Synthetic Lubricant	25	Upper Engine and Fuel Injector Cleaner	22
Quadrasteer Synthetic Axle Gear Lubricant	14	VERSATRAK® Transfer Case Fluid.	15
Quick Detailer	10	Vinyl, Rubber and Tire Dressing	11
R-12 Air Conditioning Fluorescent Tracer Dye	5	Weatherstrip Adhesive Gel - Black	2
R-1234yf Refrigerant	5	Weatherstrip Lubricant	26
R-134a Refrigerant	5	Wheel and Rim Cleaner.	11
Rear Axle Lubricant	14	Wheel Bearing Lubricant	27
Rearview Mirror Adhesive	2	White Sidewall Cleaner	11
Refrigerant Oil (150 Viscosity)	6	Windshield O/S Moisture Cleaning Kit	12
RTV Engine Sealant - Cartridge	32		
RTV Engine Sealant - Tube	32		
RTV Silicone Sealant - Red	32		
RTV Silicone Sealant - RTV 5900 - Cartridge	32		
RTV Silicone Sealant - RTV 5900 - Power Can	32		
Rubber Lubricant.	25		
Rubberized Undercoating - Aerosol	16		
Rust and Corrosion Inhibitor	16		
Rust Penetrant and Inhibitor	17		
Sealant	32		
Silicone Brake Lubricant	25		
Silicone Dielectric Grease	26		
Silicone Sealant.	33		
Soft Bristle Interior Cleaner Brush.	10		
Sound Deadening Pad Pkg.	17		
Structural Bonding Epoxy - Cartridge (Two Parts: 6.4 oz. Resin/6.4 oz. Hardener).	17		
Structural Metal Bonding Adhesive.	2		
Super Lube®	26		
Super Lube® with PTFE.	26		
Supercharger Oil	26		
Synchromesh Transmission Fluid	35		
Synchromesh Transmission Fluid Friction Modified	35		
Synthetic Axle Gear Lubricant GL-5 (75W-90)	14		

ACDelco NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
X66-A.....	19	10-4025.....	21	10-4083.....	26	10-8029.....	9
X66P.....	22	10-4026.....	21	10-4084.....	3	10-8030.....	9
10-101.....	20	10-4027.....	21	10-4085.....	3	10-8031.....	11
10-105.....	17	10-4028.....	36	10-4086.....	18	10-8032.....	11
10-108.....	4	10-4029.....	36	10-4090.....	18	10-8033.....	11
10-125.....	20	10-4030.....	35	1050173.....	7	10-8034.....	11
10-1005.....	1	10-4032.....	14	10-5026.....	3	10-8035.....	8
10-1006.....	31	10-4033.....	35	10-5027.....	20	10-8036.....	28
10-1007.....	2	10-4034.....	13	10-5030.....	30	10-8037.....	28
10-1008.....	1	10-4035.....	34	10-5031.....	30	10-8041.....	16
10-1009.....	31	10-4036.....	34	10-5032.....	20	10-8042.....	7
10-1010.....	2	10-4037.....	34	10-5033.....	20	10-8043.....	7
10-1011.....	1	10-4038.....	25	10-5034.....	20	10-8044.....	7
10-1012.....	2	10-4039.....	25	10-5035.....	20	10-8045.....	7
10-1013.....	2	10-4040.....	24	10-5037.....	5	10-8046.....	7
10-1014.....	1	10-4041.....	26	10-5038.....	20	10-8047.....	10
10-1015.....	16	10-4042.....	27	10-5040.....	3	10-8048.....	11
10-1016.....	2	10-4044.....	15	10-5041.....	24	10-8050.....	11
10-1017.....	16	10-4045.....	24	10-5042.....	4	10-8051.....	11
10-1018.....	2	10-4047.....	14	10-5043.....	30	10-8065.....	10
10-1019.....	1	10-4048.....	24	10-5044.....	30	10-8066.....	10
10-2006.....	32	10-4049.....	14	10-5045.....	4	10-8067.....	10
10-2007.....	31	10-4050.....	13	10-5046.....	3	10-9029.....	34
10-2008.....	31	10-4051.....	13	10-5047.....	5	10-9030.....	34
10-2009.....	32	10-4052.....	13	10-5050.....	30	10-9035.....	34
10-2010.....	32	10-4053.....	14	10-5051.....	4	15-102.....	4
10-2011.....	33	10-4054.....	14	10-5052.....	4	15-117.....	3
10-2012.....	32	10-4055.....	35	10-5053.....	4	15-118.....	6
10-2013.....	16	10-4056.....	34	10-5054.....	4	15-119.....	5
10-2014.....	32	10-4057.....	26	10-5055.....	24	15-120.....	5
10-2015.....	1	10-4058.....	15	10-5056.....	35	15-91244.....	5
10-2017.....	31	10-4059.....	36	10-5057.....	20	12343986.....	10
10-2018.....	31	10-4060.....	23	1051515.....	9	12346241.....	26
10-2019.....	32	10-4061.....	13	10-6005.....	16	12377979.....	17
10-3003.....	22	10-4062.....	34	10-6006.....	16	12378112.....	8
10-3004.....	22	10-4063.....	26	10-6013.....	18	12378132.....	9
10-3006.....	34	10-4064.....	23	10-6014.....	18	12378134.....	8
10-3007.....	22	10-4065.....	23	10-6016.....	19	12378136.....	7
10-3008.....	34	10-4066.....	26	10-7011.....	28	12378454.....	8
10-3009.....	22	10-4067.....	23	10-7012.....	28	12378457.....	9
10-4003.....	13	10-4068.....	18	10-7013.....	17	12378464.....	20
10-4006.....	35	10-4070.....	35	10-7014.....	16	12378534.....	8
10-4014.....	35	10-4071.....	23	10-7015.....	17	12378562.....	20
10-4016.....	14	10-4072.....	25	10-8016.....	8	25645365.....	12
10-4017.....	13	10-4073.....	23	10-8017.....	9	88863899.....	8
10-4019.....	25	10-4074.....	26	10-8018.....	9		
10-4020.....	17	10-4075.....	3	10-8020.....	11		
10-4021.....	24	10-4076.....	25	10-8025.....	7		
10-4022.....	21	10-4077.....	23	10-8026.....	10		
10-4023.....	21	10-4078.....	25	10-8027.....	9		
10-4024.....	21	10-4080.....	36	10-8028.....	9		

GM NUMERICAL INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
994954.....	10	12378132.....	9	19286319.....	21	88863458.....	24
998885.....	10	12378134.....	8	19286424.....	5	88863461.....	18
1050026.....	31	12378136.....	7	19287400.....	18	88863494.....	21
1050173.....	7	12378176.....	17	19287401.....	18	88863495.....	21
1050175.....	11	12378195.....	17	19287403.....	19	88863899.....	8
1051344.....	27	12378199.....	4	19287404.....	8	88864314.....	20
1051498.....	28	12378255.....	4	19299051.....	3	88864346.....	32
1051499.....	28	12378390.....	20	19299570.....	18	88865214.....	35
1051515.....	9	12378398.....	16	19299818.....	18	88865216.....	7
1052351.....	24	12378399.....	16	22717466.....	34	88865217.....	7
1052626.....	22	12378454.....	8	25645365.....	12	88865218.....	7
1052943.....	31	12378457.....	9	88861009.....	22	88865219.....	10
1052948.....	24	12378462.....	2	88861013.....	22	88865220.....	11
3634621.....	4	12378464.....	20	88861037.....	34	88865221.....	11
3634770.....	26	12378478.....	32	88861039.....	1	88865228.....	7
12301108.....	3	12378479.....	32	88861046.....	34	88865229.....	7
12302498.....	19	12378483.....	16	88861206.....	4	88865231.....	11
12343985.....	10	12378484.....	23	88861262.....	22	88900330.....	13
12343986.....	10	12378500.....	16	88861314.....	34	88900333.....	35
12344968.....	5	12378509.....	5	88861400.....	1	88900399.....	35
12345097.....	2	12378512.....	20	88861401.....	9	88900401.....	14
12345382.....	31	12378514.....	15	88861402.....	9	88900402.....	13
12345579.....	23	12378515.....	36	88861403.....	11	88900925.....	36
12345632.....	1	12378521.....	32	88861404.....	11	88901445.....	3
12345726.....	17	12378534.....	8	88861405.....	9	88901975.....	30
12345866.....	30	12378555.....	1	88861406.....	9	89020326.....	33
12345867.....	30	12378560.....	20	88861407.....	11	89020330.....	2
12345884.....	25	12378561.....	20	88861408.....	11	89021182.....	30
12345982.....	26	12378562.....	20	88861420.....	7	89021185.....	30
12345996.....	24	12378563.....	20	88861422.....	31	89021297.....	31
12346004.....	31	12378566.....	16	88861425.....	10	89021329.....	2
12346190.....	36	12378567.....	2	88861426.....	26	89021524.....	14
12346241.....	26	12378568.....	2	88861431.....	9	89021562.....	4
12346286.....	32	15231847.....	34	88861432.....	9	89021668.....	25
12346287.....	5	15234609.....	34	88861800.....	35	89021669.....	13
12346290.....	20	15250985.....	34	88861803.....	22	89021671.....	13
12346390.....	4	19245469.....	32	88861950.....	15	89021675.....	14
12346391.....	4	19256039.....	34	88861952.....	36	89021806.....	35
12346501.....	16	19256084.....	25	88861954.....	34	89021809.....	14
12356150.....	5	19257121.....	26	88862182.....	25	89021939.....	28
12356151.....	6	19257664.....	16	88862472.....	35	89021940.....	28
12371287.....	26	19259104.....	34	88862475.....	13	89022161.....	23
12371386.....	25	19259280.....	8	88862477.....	23	89022180.....	25
12377900.....	23	19260234.....	5	88862587.....	24	89022191.....	3
12377901.....	1	19260643.....	3	88862624.....	13	89022219.....	3
12377914.....	1	19260901.....	26	88862628.....	17	92184900.....	14
12377952.....	4	19284982.....	20	88862629.....	24		
12377969.....	23	19286291.....	21	88862657.....	3		
12377979.....	17	19286292.....	21	88863089.....	13		
12377985.....	23	19286315.....	20	88863349.....	35		
12378112.....	8	19286318.....	21	88863400.....	14		

Service Event Quick Reference for ACDelco Fluids and Chemicals

The following pages highlight common automotive service events and the ACDelco fluid and chemical products associated with them. These are just a sample of the many products available. To help you locate the right product for the required service, page numbers are listed for your convenience.

Engine Service



Engine Oils

ACDelco offers a full range of engine oils, including **dexos1**[®] synthetic oil, to protect vehicle engines under even the most difficult driving conditions. Each meets GM Standard GM6094M and adheres to the latest American Petroleum Institute (API) standards for quality and performance. Refer to owner manual for recommended specification and viscosity.

See the separate ACDelco oil chart supplement for complete details.

DeCarbonize Engine

Sometimes regular engine maintenance is not enough to keep a vehicle in top form. When a car or truck is running ragged or has failed an emissions test, it could be time to decarbonize the engine. Use ACDelco high performance **Upper Engine and Fuel Injector Cleaner** to remove carbon buildup in the valves and intake system, and your customer will be good to go.

See page 22 for more information.

GM Part No. 88861803

ACDelco Part No. X66P



Cooling System Service

Formulated to last up to 5 years or 150,000 miles, ACDelco **DEX-COOL® Antifreeze** is a silicate- and phosphate-free engine coolant that helps prevent overheating and extend water pump life.

[See page 20 for more information.](#)

GM Part No. 12346290

ACDelco Part No. 10-101



Brake Service

ACDelco **DOT 3 GMW Brake and Clutch Fluid** is a hydraulic brake fluid designed for use where a **DOT 3** motor vehicle brake fluid is recommended by the motor vehicle manufacturer. It meets or exceeds the requirements of the following specifications for a **DOT 3** brake fluid: FMVSS 116, SAE J1703, and ISO 4945.

[See page 18 for more information.](#)

GM Part No. 19299818

ACDelco Part No. 10-4090



Climate Control Service

In summer and in warmer climates, vehicle air conditioning is a must-have for any driver and ensuring your customers' AC is in good running order is essential. No underperformance. No odor. No unwanted moisture. To help improve AC efficiency — and to help surfaces shed odor-causing moisture quickly — apply ACDelco acrylic **Cooling Coil Coating** or **Cooling Coil Coating and Deodorizer** to the evaporator. The long-lasting, thin protective coating is applied in just 20 minutes and the vehicle can be back on the road within an hour.

[See page 4 for more information.](#)

GM Part No. 12377952

ACDelco Part No. 15-102

Restore tired vehicle air conditioning units with a blast of **ACDelco Refrigerant (R-134a)**, a non-ozone-depleting gas for use in almost every current GM air conditioning system and to retrofit older systems.

[See page 5 for more information.](#)

GM Part No. 12356150

ACDelco Part No. 15-119



Power Steering Service

Trust ACDelco **Power Steering Fluid** to keep your customers pointed in the right direction. Designed for all weather conditions, its extremely high viscosity keeps it from thinning or thickening with changing temperatures, and reduces power steering noise.

[See page 30 for more information.](#)

GM Part No. 89021185 or 89021182
ACDelco Part No. 10-5031 or 10-5030



Drive Line Service

Front Axle (1500 Series) – Four-Wheel Drive & Transaxle Service

Specially designed for proper year-round lubrication, multi-purpose **SAE 80W-90 Axle Lubricant** from ACDelco is designed for limited slip and conventional type axles. Its unique formula withstands wear and keeps your customers on the road for the long haul.

[See page 13 for more information.](#)

GM Part No. 89021671
ACDelco Part No. 10-4052



Front Axle (1500, 2500 HD and 3500 HD Series) Rear Axle & Transaxle Service

A heavy duty GL-5 gear lube, ACDelco **SAE 75W-90 Synthetic Axle Lubricant** contains extreme pressure additives as well as rust, oxidation and corrosion inhibitors to protect gears and bearings in high and low temperatures. Use wherever heat and wear present major problems in front, rear and transaxle applications.

[See page 14 for more information.](#)

GM Part No. 88900401
ACDelco Part No. 10-4016



Front Axle Propshaft Spline or One-Piece Propshaft Spline (Two-Wheel Drive with 4-Speed Automatic Transmission)

Eliminate corrosion and reduce unwanted friction by applying ACDelco's **Synthetic Grease** to your customers' front axle or one-piece propshaft splines. This high-quality, multi-purpose grease is PTFE-filled and non-melting. It performs well even under extreme pressure and loading.

[See page 26 for more information.](#)

GM Part No. 19257121

ACDelco Part No. 10-4063



Rear Driveline Center Spline

Protect Driveline shafts from wear and tear with ACDelco **DEXRON® Gear Oil**. For truck and car axles with open or locking differentials, this gear oil improves fuel efficiency, lowers axle temperature operation, and ensures thermal stability.

[See page 13 for more information.](#)

GM Part No. 88863089

ACDelco Part No. 10-4061



Transmission Service

Transfer Case (Four-Wheel Drive) & Automatic Transmission

Help your customers optimize their four-wheel drive/automatic transmission performance with ACDelco **DEXRON®-VI Automatic Transmission Fluid**. The special formulation features dramatically improved clutch friction stability and durability, oil film thickness, fluid oxidation, foam/aeration and shear stability. Required for all 2006 and later model years.

[See page 34 for more information.](#)

GM Part No. 88861037

ACDelco Part No. 10-9029



General Maintenance Service

Windshield Fluid

See things more clearly with **Optikleen®** Windshield Washer Solvent from ACDelco. Highly concentrated to cut through even the most stubborn tree sap, salt and road grime — without streaking or smearing.

[See page 9 for more information.](#)

GM Part No. 1051515

ACDelco Part No. 1051515



Lubrication Service

Chassis Lubrication

For standard chassis lubrication on all GM vehicles, choose premium ACDelco **Chassis Lubricant** containing oil, lithium thickening agents and special, water-resistant lubricants. The premium grease is formulated without lead.

[See page 23 for more information.](#)

GM Part No. 12377985

ACDelco Part No. 10-4060



Floor Shift Linkage

Keep manual transmissions shifting smoothly with a couple of short bursts of water-resistant **Multi-Purpose Grease** from ACDelco. This grease sprays on as a liquid and gels to a grease to minimize unwanted friction and annoying squeaks. It is specially formulated to resist corrosion.

[See page 25 for more information.](#)

GM Part No. 89021668

ACDelco Part No. 10-4038



GM Recommended Fluids and Lubricants at GM Recommended Intervals

This maintenance section applies to vehicles with a gasoline engine. If the vehicle has a diesel engine and/or an Allison Transmission, see the maintenance schedule section in the DURAMAX® Diesel manual.

GM vehicles under normal usage do not require any additional procedures or additives beyond what is advised under the former Vehicle Maintenance Schedules or the current Simplified Maintenance Schedules.

These recommended fluids and lubricants can be used for most GM car and truck models.

Usage	Fluid/Lubricant	GM Part Number
Automatic Transmission	DEXRON®-VI Automatic Transmission Fluid	88861037
Body Door Hinge Pins, Tailgate Hinge and Linkage, Folding Seats, and Fuel Door Hinge	Multi-Purpose Lubricant, Super Lube®	12346241
Brake Service	Brake Fluid	19299818
Chassis Lubrication	Chassis Lubricant, or lubricant meeting requirements of NLGI #2, Category LB or GC-LB	12377985
Climate Control Service	Cooling Coil Coating, Refrigerant	12346390 12377952 12356150
Cooling System Service	DEX-COOL®	12346290
DeCarbonize Engine	E.O.S. Assembly Lubricant	88862587
Driveline Service	SAE Synthetic Axle Lubricant 75W-90	88900401
Engine Coolant	50/50 mixture of clean, drinkable water and use only DEX-COOL® coolant	12378390
Engine Oil	Engine oil that meets GM Standard GM6094M and displays the American Petroleum Institute Certified for Gasoline Engines starburst symbol To determine the proper viscosity for your vehicle's engine, see owner manual	See Oil Supplement
Floor Shift Linkage	Multi-Purpose Grease, or lubricant meeting requirements of NLGI #2 Category LB or GC-LB	89021668
Front Axle (1500 Series) - Four-Wheel Drive	SAE 80W-90 Axle Lubricant	89021671
Front Axle (1500, 2500 HD, and 3500 HD Series)	SAE 75W-90 Synthetic Axle Lubricant	88900401

Usage	Fluid/Lubricant	GM Part Number
Front Axle Propshaft Spline or One-Piece Propshaft Spline (Two-Wheel Drive with 4-Speed Auto. Trans.)	Synthetic Grease	19257121
Hood Latch Assembly, Secondary Latch, Pivots, Spring Anchor, and Release Pawl	Multi-Purpose Grease or Lubricant meeting requirements of NLGI #2, Category LB or GC-LB	89021668
Hood and Door Hinges	Multi-Purpose Lubricant, Super Lube®	12346241
Hydraulic Brake System	DOT 3 GMW Brake and Clutch Fluid	19299818
Key Lock Cylinders	Multi-Purpose Lubricant, Super Lube®	12346241
Rear Axle	SAE 75W-90 Synthetic Axle Lubricant	88900401
Rear Driveline Center Spline	Chassis Lubricant, or lubricant meeting requirements of NLGI #2, Category LB or GC-LB	12377985
Tailgate Handle Pivot Points, Hinges, Latch Bolt, and Linkage	Multi-Purpose Lubricant, Super Lube®	12346241
Transaxle Service	SAE 80W-90 Axle Lubricant SAE 75W-90 Synthetic Axle Lubricant	89021671 88900401
Transfer Case (Four-Wheel Drive)	DEXRON®-VI Automatic Transmission Fluid	88861037
Transmission Service	DEXRON®-VI Automatic Transmission Fluid	88861037 88861046
Weatherstrip Conditioning	Weatherstrip Lubricant or Dielectric Silicone Grease	3634770 12345579
Weatherstrip Squeaks	Super Lube® with PTFE	12371287
Windshield Washer	Optikleen® Washer Solvent	1051515

Bonding Adhesive

ACDelco BRANDED
PRODUCT IMAGE
UNAVAILABLE AT
TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1.21 oz.	1	10-1008	12377901

PRODUCT DESCRIPTION AND FUNCTION:
Product is a high-strength retaining compound. The viscosity of this adhesive is carefully controlled to provide good coverage in slip-fit assemblies. Cures rapidly when confined in assembled components. Provided in a convenient one-use package.

Foam Adhesive Kit



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
6.7 oz.	2	10-2015	88861400

PRODUCT DESCRIPTION AND FUNCTION:
Used to repair Corvette painted removable roof panel due to separation between metal frame and roof panel. Kit contains: 1 - dual barrel cartridge of Ashland Pliogrip NVH Rigid foam 200ML, 2 - mixer tips, 1 - retaining nut, 2 - flow restrictors, 1 - poly bag with label. A special applicator is required to dispense the foam.

GM VEHICLE APPLICATION:
Applicator available through 1-800-GMTOOLS, ext. 5.

Glass Adhesion Promoter



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	6	10-1011	12378555

PRODUCT DESCRIPTION AND FUNCTION:
This product is specifically designed to treat and seal the glass to prevent moisture from interfering with the adhesion process resulting in an improved long-term bond.

High-Strength Plastic Repair Adhesive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1.7 oz.	1	10-1014	88861039

PRODUCT DESCRIPTION AND FUNCTION:
This is a fast setting, high-strength adhesive that is used to bond and repair plastic parts. Can bond to SMC and fiberglass surfaces but not repair them. Repairs urethane and ABS without adhesion promoter. Requires adhesion promoter when repairing TPO, TEO and PP plastics. This black material can be used on interior and exterior surfaces, bonds to primed or painted metal.

Hot Melt Adhesive Sticks



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
17 1/2" X 12" sticks	1	10-1019	12377914

PRODUCT DESCRIPTION AND FUNCTION:
This product bonds seat covers to foam cushions and is useful for reattaching vinyl trim. Requires 300°F - 400°F hot glue gun.

Instant Gel Adhesive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
.02 oz.	12	10-1005	12345632

PRODUCT DESCRIPTION AND FUNCTION:
A high-strength, rapid curing glue that provides instant adhesion. Gel formulation that fills gaps and is non-running. Humidity and weather resistant. Contains no solvents, won't run or drip, bonds in seconds, and is non-flammable.

Metal Patch Panel Adhesive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
7.6 oz.	1	10-1015	12378566

PRODUCT DESCRIPTION AND FUNCTION:
Product is a metal bonding adhesive used for patch panel bonding and bonding of dissimilar metals, cab corners, panel sections, and aluminum trailer repair patches.

Plastic Adhesion Promoter



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4 oz.	4	10-1018	12378462

PRODUCT DESCRIPTION AND FUNCTION:
 This solvent-based adhesion promoter is designed to help increase the adhesive bond strength of foam tapes to substrates such as TPO, TPU, ABS, and PET and can also be used to prepare such surfaces for other adhesive applications. Common applications include moldings, inserts, bumpers, and fascia.

Plastic Bonding Adhesive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1.7 oz.	12	10-1012	12378568

PRODUCT DESCRIPTION AND FUNCTION:
 A structural adhesive for bonding a variety of plastics to plastics and plastics to primed, painted or e-coated metals. Do not use on bare metal. Adhesive curing can be accelerated by heat. Can be used for general purpose bonding of trim components. This product requires a dispensing gun.

GM VEHICLE APPLICATION:
 Applicator 285-LRD-301 is available through 1-800-GMTOOLS, ext. 5.

Plastic Installation Adhesive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
10.10 oz.	1	10-1013	89020330

PRODUCT DESCRIPTION AND FUNCTION:
 This adhesive is a structural adhesive for bonding a variety of plastics-to-plastics and plastics to primed, painted, or e-coated metals. It can be used to bond plastic body panels, spoilers, and ground effects. It meets GM6448G adhesion guidelines for bonding exterior sheet molding compound (SMC) for aftermarket service use. Product has no VOCs, 100% solids, and is resistant to extreme temperatures.

Rearview Mirror Adhesive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
.9 oz.	12	10-1010	89021329

PRODUCT DESCRIPTION AND FUNCTION:
 An OEM factory service specified two-part adhesive used to mount the rearview mirror bracket on the vehicle windshield. Designed for the "button" that is glued to the windshield at the factory using a heat-activated process. Permanently bonds to the windshield with no clamping and a set time of one (1) minute. Non-flammable, non-toxic. Resists moisture, light and temperature changes.

SPECIAL PRECAUTIONS:
 Please follow the installation instructions on the package precisely. This product is specifically designed for one usage only. Not designed for plastic "buttons".

Structural Metal Bonding Adhesive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
7.6 oz.	6	10-1016	12378567

PRODUCT DESCRIPTION AND FUNCTION:
 This product contains glass beads that create a bond line thickness, regardless of clamping techniques. It provides corrosion protection, bonds to bare metal without the need for primers. It has a built-in color indicator that turns from dark gray to green as adhesive cures. Applicator tool is required for applications.

GM VEHICLE APPLICATION:
 Applicator 285-LRD-301 is available through 1-800-GMTOOLS, ext. 5.

Weatherstrip Adhesive Gel - Black



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
5 oz. tube	12	10-1007	12345097

PRODUCT DESCRIPTION AND FUNCTION:
 This adhesive gel is a black cement that bonds rubber weatherstripping to rubber, metal, or painted surfaces. Product is resistant to gasoline, kerosene, antifreeze, and other solvents. Will also withstand vibration and extreme temperature changes.

Air Conditioner Compressor Oil (PAG-ND12)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz. cartridge	2	10-4085	19299051

PRODUCT DESCRIPTION AND FUNCTION:
 ACDelco Air Conditioner Compressor Oil is a lubricant formulated for automotive air conditioning systems using R-1234yf refrigerants. It is more stable than other compressor oils, particularly in the presence of high temperature, pressure and moisture.

GM VEHICLE APPLICATION:
 Refer to HVAC/Specifications/Adhesives, Fluids, Lubricants, and Sealers in service information (SI) for proper type and usage. For use in the ATS Cadillac A/C system.

Air Conditioner Compressor Oil (PAG-PSD1)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz. cartridge	6	10-4084	19260643

PRODUCT DESCRIPTION AND FUNCTION:
 ACDelco Air Conditioner Compressor Oil is a lubricant formulated for automotive air conditioning systems using R-1234yf refrigerants. It is more stable than other compressor oils, particularly in the presence of high temperature, pressure and moisture.

GM VEHICLE APPLICATION:
 Refer to HVAC/Specifications/Adhesives, Fluids, Lubricants, and Sealers in service information (SI) for proper type and usage. For use in the XTS Cadillac A/C system.

Air Conditioning Compressor Oil



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	15-117	12301108

PRODUCT DESCRIPTION AND FUNCTION:
 ACDelco Air Conditioning Compressor Oil is a 525 SAE mineral oil universal for all R-12 systems.

Air Conditioning Compressor Oil (46 Viscosity) - Bottle



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz. bottle	6	10-5040	89022191

PRODUCT DESCRIPTION AND FUNCTION:
 For use on R-134a systems except R4 and A6.

GM VEHICLE APPLICATION:
 Refer to the HVAC section of Service Information for detailed information on oil balancing and capacities.

Air Conditioning Compressor Oil (46 Viscosity) - Cartridge



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz. cartridge	6	10-5026	88901445

PRODUCT DESCRIPTION AND FUNCTION:
 For use on R-134a systems except R4 and A6.

GM VEHICLE APPLICATION:
 Refer to the HVAC section of Service Information for detailed information on oil balancing and capacities.

Air Conditioning Oil POE



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
3.5 oz.	6	10-4075	88862657

PRODUCT DESCRIPTION AND FUNCTION:
 Use with electric air conditioning units (RPO HP2). For use on 2008-2011 C/K Pickups and Utilities. Use with Kent-Moore J45037 Kit.

Coolant System Tracer Dye



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 oz.	6	10-5046	89022219

PRODUCT DESCRIPTION AND FUNCTION:
 Specifically formulated for use with DEX-COOL® (orange). Long life coolant will not change the original appearance of coolant over time. Fluorescent leak detection dye is used in conjunction with ultraviolet and UV/blue light lamps to pinpoint leak sources in cooling systems.

Cooling Coil Coating - Refill for Applicator Kit

ACDelco BRANDED
PRODUCT IMAGE
UNAVAILABLE AT
TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4 oz.	2	10-5051	12346390

PRODUCT DESCRIPTION AND FUNCTION:
This non-aerosol refill is used with the Cooling Coil Coating Applicator Kit (part no. 10-5052). It provides a lasting protective coating; helps improve air conditioning efficiency, quick 20-minute application.

Cooling Coil Coating and Deodorizer



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
6 oz.	2	15-102	12377952

PRODUCT DESCRIPTION AND FUNCTION:
Helps eliminate mold, mildew, and bacteria that cause odors in the air conditioning system. Provides a smooth, protective coating for air conditioning surfaces that prevents dirt and microbes from sticking while continuing to help protect the system from regrowth of bacteria, mold and mildew. Odor-free, containing no hazardous chemicals. The active ingredient is EPA-registered and is safe for use and the environment.

Cooling Coil Coating Applicator Kit (Tool)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 Kit	1	10-5052	12346391

PRODUCT DESCRIPTION AND FUNCTION:
Covers evaporator with a thin acrylic coating that helps surfaces shed odor-causing moisture quickly. Kit includes one 4-oz. non-aerosol bottle of Cooling Coil Coating and one Ulti-Flex applicator tool.

Cooling System Fast Flush



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	12	10-5042	89021562

PRODUCT DESCRIPTION AND FUNCTION:
Cooling system flush cleans rust and scale inside the radiator, heater and engine block in one easy operation. Helps prevent overheating and increases effective operation by dissolving rust and grease.

SPECIAL PRECAUTIONS:
Product is not compatible with automatic coolant exchange processes or coolant recycling equipment. A water flush must be used.

Cooling System Seal Tabs



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
5 4g tablets	24	10-108	12378255
6 10g tablets	24	10-5054	3634621

PRODUCT DESCRIPTION AND FUNCTION:
Original organic formula designed for use in radiator systems to seal leaks and prevent leaks due to casting porosity in engine components. Product is non-toxic, seals minor leaks and porosity in cooling systems. DEX-COOL® compatible.

GM VEHICLE APPLICATION:
4-cylinder and 6-cylinder applications use two tablets. 4.6 Northstar V8 use three tablets. 8-cylinder Premium V8 Cadillac and Big-Block use six tablets. Other V8 and all other engine application usage is based on liters of volume in cooling system.

Fluorescent Dye Remover

ACDelco BRANDED
PRODUCT IMAGE
UNAVAILABLE AT
TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	1	10-5053	12378199

PRODUCT DESCRIPTION AND FUNCTION:
Removes traces of dye that remains around leak site, helping to prevent possible false diagnosis and unnecessary parts replacement.

Fluorescent Dye, 4-in-1



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 oz.	24	10-5045	88861206

PRODUCT DESCRIPTION AND FUNCTION:
Multipurpose fluorescent leak detection dye used in conjunction with UV or UV/blue light lamps to pinpoint leaks in oil and oil-based fluid systems. Can be used in gasoline and diesel engine oil, power steering fluid, and automatic transmission fluid. Can safely remain in the system after work is performed.

SPECIAL PRECAUTIONS:
May damage paint surfaces.

Fluorescent Tracer for R-134a and R-1234yf



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
.25 oz.	12	15-120	12346287

PRODUCT DESCRIPTION AND FUNCTION:
This thermally stable and highly fluorescent dye maintains PAG lubricant viscosity.

GM VEHICLE APPLICATION:
For use with vehicles equipped with R-134a and R-1234yf air conditioning systems with PAG oil

Heavy Duty Cooling System Cleaner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	6	10-5037	19286424

PRODUCT DESCRIPTION AND FUNCTION:
Safe for removing rust, scale and deposits, including silicate gel, from the cooling system quickly and effectively. Product contains a detergent that removes oil and grease, as well as a corrosion inhibitor to reduce corrosion of engine metals during the cleaning process.

Injector Pkg-Dye, Fluorescent Tracer (Tool)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 Tool	1	15-91244	12344968

PRODUCT DESCRIPTION AND FUNCTION:
For use with R-134a A/C systems.

R-12 Air Conditioning Fluorescent Tracer Dye



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
.25 oz.	12	10-5047	12378509

PRODUCT DESCRIPTION AND FUNCTION:
Maintains mineral oil viscosity to GM specifications. Solvent-free formula pinpoints leaks fast and remains safely active in the air conditioning system for future leak detection. Disposable, premeasured dosing is easy to use and can help save valuable refrigerant.

GM VEHICLE APPLICATION:
For use with vehicles equipped with R-12 mineral oil air conditioning systems. Used in conjunction with the ultraviolet leak detection lamp kit to detect refrigerant leaks.

R-1234yf Refrigerant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4.5 kg	1	N/A	19260234

PRODUCT DESCRIPTION AND FUNCTION:
R-1234yf is a new environmentally friendly refrigerant that has a 99.7% lower Global Warming Potential (GWP) than R-134a. The new refrigerant is considered mildly flammable and has thermodynamic properties similar to R-134a. It is the industry accepted solution for a low GWP refrigerant. R-1234yf systems require the use of specific A/C compressor oils.

Currently available to GM dealer only.

GM VEHICLE APPLICATION:
R-1234yf systems require the use of specific A/C compressor oils. Refer to HVAC/Specifications/Adhesives, Fluids, lubricants, and Sealers in service information (SI) for proper type and usage. The XTS A/C system uses Part #19260643 (in Canada, 19260644) and the ATS uses Part #19299051 (in Canada, 19299052). Only GM lubricant is approved.

SPECIAL PRECAUTIONS:
As with all refrigerants, always work in a well-ventilated area and never release refrigerants into the atmosphere.

R-134a Refrigerant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
30 lbs.	1	15-119	12356150

PRODUCT DESCRIPTION AND FUNCTION:
A non-ozone-depleting gas used for current air conditioning systems and a retrofit fluid for older systems. KLEA 134A, 30-lb. disposable cylinder.

GM VEHICLE APPLICATION:
All vehicles equipped with the R-134a air conditioning system.

Refrigerant Oil (150 Viscosity)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	12	15-118	12356151

PRODUCT DESCRIPTION AND FUNCTION:

For use on R4 and A6 compressors with R-134a refrigerant systems.

GM VEHICLE APPLICATION:

Refer to the HVAC section of Service Information for detailed information on oil balancing and capacities.

Car Wash Shampoo



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4 oz.	30	10-8044	88865228
16 oz.	6	10-8043	88865217
5 gal.	1	10-8042	88865216

PRODUCT DESCRIPTION AND FUNCTION:

A wash and gloss enhancer shampoo in one. It is formulated with synthetic polymers that deliver a car wash concentrate that loosens and emulsifies the toughest dirt and road grime, allowing them to glide off the surface, leaving it smooth and shiny. This ultra-sudsy, non-streaking formula is pH balanced to clean and nourish most finishes. The free-rinsing conditioning agents and paint nutrients provide sparkling, streak and spot-free results. Manufactured with water softeners and anti-static ingredients, it helps reduce mineral deposits in hard water, leaving behind a spot-free finish that reduces dust attraction.

GM VEHICLE APPLICATION:

Product can also be used on all painted surfaces, plastic, glass, metal, and fiberglass.

Chevrolet Vehicle Care Kit - Large



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Large	1	12378136	12378136

PRODUCT DESCRIPTION AND FUNCTION:

Contains the following:
 88865217 - Car Wash Shampoo - 16 oz.
 88865218 - Cleaner Wax - 16 oz.
 88865219 - Quick Detailer - 16 oz.
 994954 - Polishing Cloth

SPECIAL PRECAUTIONS:

GM reserves the right to discontinue/change any product in this kit for a product of similar price without notice.

Chrome Cleaner and Polish



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	1	1050173	1050173

PRODUCT DESCRIPTION AND FUNCTION:

A complex blend of oil, water, silicone, emulsifiers, pumice and polishing agents. It is excellent for restoring original appearance to tarnished, rusted, stained or dulled surfaces; leaving a bright silicone shine behind. Apply with a clean, soft cloth.

- Allow to dry and rub off.
- Contains pumice
 - Leaves a silicone shine

Cleaner Wax



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4 oz.	30	10-8046	88865229
16 oz.	6	10-8045	88865218

PRODUCT DESCRIPTION AND FUNCTION:

Manufactured from the highest quality raw materials. It's 100% natural carnauba enriched formula polishes, shines and protects in one easy step to deliver a truly remarkable look. The new molecular-chemistry formula gives this product a long lasting wet-look shine and ultraviolet (40) sunscreen protection, improving resistance to degenerative environmental elements. Can remove tree sap, water spots, fallout, and fine paint defects. Surface is left super-slick with a brilliant mirror-like reflective finish. Meets VOC regulations.

GM VEHICLE APPLICATION:

Can be used on glass, stainless steel, fiberglass, chrome, and carbon graphite.

Cloth/Carpet Cleaner Concentrate



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
67.6 oz.	4	10-8025	88861420

PRODUCT DESCRIPTION AND FUNCTION:

Our Concentrated Extraction Cleaner is engineered with lower pH levels to help remove alkaline buildup on fabrics. This effective formulation of concentrate is mixed at a dilution ratio of 32:1 (4 ounces per gallon). Packaged in (4) 1 gallon containers per case, this concentrate makes 132 gallons of ready-to-use cleaner.

APPEARANCE - Continued

Corvette Vehicle Care Kit - Large



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Large	1	12378112	12378112

PRODUCT DESCRIPTION AND FUNCTION:

Contains the following:
 88865217 - Car Wash Shampoo - 16 oz.
 88865218 - Cleaner Wax - 16 oz.
 88865219 - Quick Detailer - 16 oz.
 994954 - Polishing Cloth

SPECIAL PRECAUTIONS:

GM reserves the right to discontinue/change any product in this kit for a product of similar price without notice.

Glass Cleaner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
6 oz.	12	10-8035	19259280
18 oz.	12	10-8016	19287404

PRODUCT DESCRIPTION AND FUNCTION:

Low VOC product specially formulated for cleaning windows in automobiles, trucks, airplanes, and boats. It can also be used as a household window and glass cleaner. Product is a foamy, non-streaking cleaner that removes cigarette smoke, dirt, film, and grime.

GM Vehicle Care Bag



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Large	1	88863899	88863899

PRODUCT DESCRIPTION AND FUNCTION:

Contains the following:
 88861408 - Upholstery / Carpet Stain Remover - Red (8 oz.)
 88861407 - Upholstery / Carpet Stain Remover - Gold (8 oz.)
 88861405 - Leather, Vinyl and Plastic Cleaner (8 oz.)
 88861406 - Leather and Vinyl Conditioner (8 oz.)
 994954 - Polishing Cloth

GM Vehicle Care Detailing Bucket



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
	1	12378534	12378534

PRODUCT DESCRIPTION AND FUNCTION:

Contains the following:
 88865217 - Car Wash Shampoo - 16 oz.
 88865218 - Cleaner Wax - 16 oz.
 88865219 - Quick Detailer - 16 oz.
 88865220 - Wheel Cleaner - 16 oz.
 88865221 - Vinyl Rubber Tire Dressing - 16 oz.
 19287404 - Glass Cleaner
 Wash Bucket Skirt with GM Vehicle Care Logo
 Terry Cloth Towels (2)
 Synthetic Chamois
 Wash Mitt with Elastic Cuff
 Applicator Pads (2)

SPECIAL PRECAUTIONS:

GM reserves the right to discontinue/change any product in this kit for a product of similar price without notice.

GM Vehicle Care Kit - Small



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Small	12	12378454	12378454

PRODUCT DESCRIPTION AND FUNCTION:

Contains the following:
 994954 - Polishing Cloth
 88865228 - Car Wash Shampoo - 4 oz.
 88865229 - Cleaner Wax - 4 oz.
 88865231 - Vinyl Rubber Tire Dressing - 4 oz.
 19259280 Glass Cleaner - 6 oz.

SPECIAL PRECAUTIONS:

GM reserves the right to discontinue/change any product in this kit for a product of similar price without notice.

GMC Vehicle Care Kit - Large



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Large	1	12378134	12378134

PRODUCT DESCRIPTION AND FUNCTION:

Contains the following:
 88865217 - Car Wash Shampoo - 16 oz.
 88865218 - Cleaner Wax - 16 oz.
 88865219 - Quick Detailer - 16 oz.
 994954 - Polishing Cloth

SPECIAL PRECAUTIONS:

GM reserves the right to discontinue/change any product in this kit for a product of similar price without notice.

Leather and Vinyl Conditioner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz.	12	10-8030	88861406
32 oz.	6	10-8018	88861402

PRODUCT DESCRIPTION AND FUNCTION:
Leather and Vinyl Conditioner is specially formulated to replenish oils after cleaning with cleaners 88861401/88861405. It is safe to use on low gloss and high gloss leather or vinyl.

Leather, Vinyl and Plastic Cleaner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz.	12	10-8029	88861405
32 oz.	6	10-8017	88861401

PRODUCT DESCRIPTION AND FUNCTION:
Leather, Vinyl and Plastic Cleaner specially formulated for leather, vinyl and plastic. It is safe to use on low gloss and high gloss finishes. It is formulated with natural citrus degreasers. Ink, tar, grease deposits, crayons and markers can be removed from leathers, vinyls and plastics.

Odor Eliminator



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz.	12	10-8028	88861432
32 oz.	6	10-8027	88861431

PRODUCT DESCRIPTION AND FUNCTION:
Odor Eliminator is specially designed to remove odors at the source inside vehicles and HVAC systems. Suggested uses include: upholstery, headliners, carpets, floor mats, storage areas and many more. Great for eliminating musky odors from wet vehicle interiors.

Optikleen® (Windshield Washer Solvent)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	1051515	1051515

PRODUCT DESCRIPTION AND FUNCTION:
A unique, concentrated formulation designed for vehicle window washer systems. Contains cleaning agents to clean the glass without smearing or streaking. Safe for metal, glass, and painted surfaces. Protects against freezing down to -26°F. Dilute Optikleen® with Distilled or Deionized water to avoid unwanted minerals accumulating in the windshield washer system. Use with adequate ventilation.

SPECIAL PRECAUTIONS:
Consult your local and state requirements regarding mixing concentrations. In compliance with the Oregon Toxic Household Act, Antifreeze Products can only be purchased for use in professional vehicle repair facilities and cannot be displayed for sale or sold to consumers. By ordering this product, you agree not to sell it to customers in Oregon. Contains Bitterant. Due to Air Quality Rule 391-3-1-.02(2)(aaa), this product is prohibited for sale in 13 counties in the metro Atlanta area. GM does not ship this product to the State of Georgia.

Performance Parts Vehicle Care Kit - Large



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Large	1	12378132	12378132

PRODUCT DESCRIPTION AND FUNCTION:
Contains the following:
994954 - Polishing Cloth
88865217 - Car Wash Shampoo - 16 oz.
88865218 - Cleaner Wax - 16 oz.
88865219 - Quick Detailer - 16 oz.

SPECIAL PRECAUTIONS:
GM reserves the right to discontinue/change any product in this kit for a product of similar price without notice.

Performance Parts Vehicle Care Kit - Small



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Small	12	12378457	12378457

PRODUCT DESCRIPTION AND FUNCTION:
Contains the following:
994954 - Polishing Cloth
88865228 - Car Wash Shampoo - 4 oz.
88865229 - Cleaner Wax - 4 oz.
88865231 - Vinyl Rubber Tire Dressing - 4 oz.
19259280 Glass Cleaner - 6 oz.

SPECIAL PRECAUTIONS:
GM reserves the right to discontinue/change any product in this kit for a product of similar price without notice.

APPEARANCE - Continued

Polishing Cloth



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
23" X 25"	24	10-8065	994954

PRODUCT DESCRIPTION AND FUNCTION:

Used on the exterior and interior of all GM vehicles. A heavily napped, cotton flannel cloth that applies a fine protective shine to the vehicle's surface. Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Lasts for months under daily use. Environmentally friendly.

Polishing Cloth - Bulk Roll



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
23" X 58.5'	1	10-8066	998885

PRODUCT DESCRIPTION AND FUNCTION:

Used on the exterior and interior of all GM vehicles. A heavily napped, cotton flannel cloth that applies a fine protective shine to the vehicle's surface. Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Can last for months under daily use. Environmentally friendly. Cut to length.

Polishing Cloth - Gift Box



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
15" X 18"	100	10-8067	12343985

PRODUCT DESCRIPTION AND FUNCTION:

Used on the exterior and interior of all GM vehicles. A heavily napped, cotton flannel cloth that applies a fine protective shine to the vehicle's surface. Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Can last for months under daily use. Environmentally friendly.

Polishing Cloth - Holiday Box



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
15" X 18"	100	12343986	12343986

PRODUCT DESCRIPTION AND FUNCTION:

Used on the exterior and interior of all GM vehicles. A heavily napped, cotton flannel cloth that applies a fine protective shine to the vehicle's surface. Treated to pick up and hold dust and dirt. Cleans and polishes at the same time. Can last for months under daily use. Environmentally friendly.

Quick Detailer



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	6	10-8047	88865219

PRODUCT DESCRIPTION AND FUNCTION:

Spray-and-wipe wax and quick detail gloss enhancer in one. Product restores that just waxed deep wet looking shine in minutes. The specialized ingredients in this high-lubricity spray wax deliver unparalleled surface clarity, intensity and shine. Product is formulated with carnauba wax and polymers. Products forms a protective coat that bonds to the paint's sealant or wax finish. The carnauba formulation enables product to perform even in hot, humid climates without streaking, cloudiness or hazy patches. A single spray wipes away fingerprints, water spots, dust, and other harmful contaminants. Meets VOC regulations.

GM VEHICLE APPLICATION:

Also great for all painted surfaces, plastic, glass, chrome, metal, aluminum, and fiberglass.

Soft Bristle Interior Cleaner Brush



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 brush	1	10-8026	88861425

PRODUCT DESCRIPTION AND FUNCTION:

This compact upholstery brush was developed specifically for use on soft textiles to work on all upholstery without damaging fabric. Soft, black, bassine fibers in a rigid polyethylene block provide the proper agitation. Use this brush to safely clean all soft textiles.

Upholstery/Carpet Stain Remover - Gold Formula



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz.	12	10-8031	88861407
32 oz.	6	10-8033	88861403

PRODUCT DESCRIPTION AND FUNCTION:

Upholstery/Carpet Stain Remover is a professional strength cleaner used to remove the toughest stains from upholstery fabrics and carpeting such as: blood, butter/margarine, catsup, chocolate, coffee, cola, grass, jelly, juices, lipstick, urine, vegetable oil.

SPECIAL PRECAUTIONS:

Stains like vegetable oil, mayonnaise, and salad dressing should be pre-treated with a small amount of rubbing alcohol.

Upholstery/Carpet Stain Remover - Red Formula



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz.	12	10-8032	88861408
32 oz.	6	10-8020	88861404

PRODUCT DESCRIPTION AND FUNCTION:

Upholstery/Carpet Stain Remover is a professional strength cleaner used to remove the toughest stains from upholstery fabrics and carpeting such as: butter/margarine, cosmetics, crayon, grease (motor), gum, ink, iodine, mustard, nail polish, red drinks, rust, tar.

Vinyl, Rubber and Tire Dressing



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4 oz.	30	10-8051	88865231
16 oz.	6	10-8050	88865221

PRODUCT DESCRIPTION AND FUNCTION:

This product is an interior and exterior vinyl, rubber, tire and plastic cleaner, conditioner, and protectant. The product is a non-greasy, premium conditioner that provides outstanding long lasting shine and protection to all tire, rubber, vinyl, and leather surfaces. The products' water based formula leaves surfaces shiny, protected and dry-to-the touch. The rich pH balanced conditioning formula penetrates beyond the surface to help rejuvenate and maintain pliability and integrity of the covering. It is specially formulated with ultraviolet blocking agents to help keep surfaces from cracking, fading and hardening, defending them against the harmful rays of the sun.

Wheel and Rim Cleaner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	6	10-8048	88865220

PRODUCT DESCRIPTION AND FUNCTION:

Product is ideal for all rims and wheels. The unique gel formula clings to the wheels cleaning fast. The increased time in contact with the wheel allows the gel to continuously break down road grime, brake dust, and grease. Product is great for all wheels and rims and removes corrosive brake dust from wheels. It is a highly effective cleaner that safely removes brake dust, oxidation, oil, dirt, and rust without brushing. Dissolves grease without the risk of damaging the wheel. Spray-on, wipe-off, no scrubbing necessary.

White Sidewall Cleaner



ACDELCO BRANDED PRODUCT IMAGE UNAVAILABLE AT TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 gal.	6	10-8034	1050175

PRODUCT DESCRIPTION AND FUNCTION:

Water-based alkaline cleaner designed specifically for cleaning whitewall and black sidewall tires. Effectively removes all types of soils and whitens dingy tire surfaces. A great cleaner for prepping tires for today's high-tech tire dressings. Specifically formulated to restore whitewalls and raised white lettering to their original brightness. Safe for use on rubber surfaces.

- No pre-cleaning required
- Removes grease, grime, and dirt

SPECIAL PRECAUTIONS:

Keep this product off glass surfaces; will cause etching if left on for long periods. Avoid contact with eyes and skin.

Windshield O/S Moisture Cleaning Kit



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Kit	1	25645365	25645365

PRODUCT DESCRIPTION AND FUNCTION:
The rain sensor module automatically activates windshield wipers when rain contacts the windshield. See package insert for removing the rain sensor module from the windshield and reinstalling the replacement module. Package contains instruction sheet, tray, tape, shield, solvent, fabric and primer.

Auto Trak II Transfer Case Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
33.8 oz.	12	10-4017	88900402

PRODUCT DESCRIPTION AND FUNCTION:
 Approved for use in GM four-wheel-drive vehicles with transfer cases as recommended in the Owner Manual or GM service bulletins. Product has improved oxidation resistance for extended life. Withstands extended high-temperature operation.

SPECIAL PRECAUTIONS:
 Do not overfill transfer case. Return used fluid to collection centers.

Axle Lubricant GL-4 (80W-90)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
23 oz.	12	10-4052	89021671

PRODUCT DESCRIPTION AND FUNCTION:
 A specially formulated, multi-purpose axle gear lubricant for use with limited slip and conventional type axles. It is specially designed for proper year-round lubrication and can withstand wear. Axle durability. Compatible with limited slip friction modifiers and seals/elastomers.

GM VEHICLE APPLICATION:
 See service manual for GM vehicle applications.

Axle Lubricant GL-5 (80W-90)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
23 oz.	12	10-4051	89021669

PRODUCT DESCRIPTION AND FUNCTION:
 A special formula multi-purpose axle lubricant for use with conventional type axles. Oxidation resistance. Longer seal life. Does not contain a limited slip additive.

GM VEHICLE APPLICATION:
 Passenger cars only. Not for use in trucks. See service manual for applications.

DEXRON® Gear Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	1	10-4061	88863089

PRODUCT DESCRIPTION AND FUNCTION:
 Product is suitable for truck and car axles with open or locking differentials. It helps improve fuel efficiency, lower axle temperature operation, and improve thermal stability.

GM VEHICLE APPLICATION:
 For 2009 and newer vehicles (not including 10-4050 applications).

DEXRON® LS Gear Oil (75W-90)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4034	88862624

PRODUCT DESCRIPTION AND FUNCTION:
 Fluid for lubrication/service of 2007+ manual transmissions and transfer cases. Fluid already contains a limited slip friction modifier. A top treat additive is not needed.

GM VEHICLE APPLICATION:
 See your service manual for use, filling and change recommendations.

Gear Oil GL-5 (75W-90)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	2	10-4050	88862475

PRODUCT DESCRIPTION AND FUNCTION:
 Product suitable for car and truck axles. Lubricant exhibits improved fuel efficiency, lower axle temperature operation, and improved thermal stability.

GM VEHICLE APPLICATION:
 Required for 2011+ CTS (not CTS-V) and 2011+ Camaro with manual transmission.

Limited Slip Axle Lubricant Additive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4 oz.	12	10-4003	88900330

PRODUCT DESCRIPTION AND FUNCTION:
 Product reduces friction and noise in the rear axle.

GM VEHICLE APPLICATION:
 Required for passenger car applications with limited slip axles.
SPECIAL PRECAUTIONS:
 Not for sale in California or OTC states.

Quadrasteer Synthetic Axle Gear Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4049	88863400

PRODUCT DESCRIPTION AND FUNCTION:

This product is a gear lubricant comprised of a synthetic base stock to give the product a high viscosity index and a low pour point. Product is specially formulated with extreme pressure additives, as well as rust, oxidation and corrosion inhibitors to protect gears and bearings operated over a wide variety of load conditions. A limited slip additive has been incorporated into this lubricant so no additional top treatment for limited slip axle applications is normally necessary.

GM VEHICLE APPLICATION:

Specially designed for use on GM pickups and SUVs with RPO NYS.

Rear Axle Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
33.8 oz.	4	10-4032	92184900

PRODUCT DESCRIPTION AND FUNCTION:

Product is a full synthetic SAE 75W-85 final drive lubricant recommended for limited slip differentials with carbon linings such as the 2008-2009 Pontiac G8 and 2010-2012 Chevrolet Camaro.

Synthetic Axle Gear Lubricant GL-5 (75W-90)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4047	89021675

PRODUCT DESCRIPTION AND FUNCTION:

Heavy duty, extreme pressure GL-5 gear lubricant. Contains extreme pressure additives as well as rust, oxidation and corrosion inhibitors to protect gears and bearings. The high and low temperature performance of this product exceeds those of conventional hypoid gear lubricants.

GM VEHICLE APPLICATION:

Use where heat and wear present major problems. These include manual transmissions (where EP type lubricants are recommended), differentials (including limited slip and transfer cases for heavy equipment) trucks, tractors and industrial gear drives.

Synthetic Axle Lubricant (75W-140)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4054	89021524

PRODUCT DESCRIPTION AND FUNCTION:

A fully synthetic, wide viscosity span automotive GL-5 gear lubricant. Product has low/high temperature properties to help ensure that bearings, gears, and seals receiving proper lubrication at temperatures as low as -40°C. Also provides load-carrying ability and protection from gear wear at elevated temperatures encountered in high ambient or trailer tow and other severe service applications.

GM VEHICLE APPLICATION:

For use on heavy duty pickups with Dana 11.5 inch rear axles.

Synthetic Axle Lubricant GL-5 (75W-90)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4016	88900401

PRODUCT DESCRIPTION AND FUNCTION:

Product is a heavy-duty extreme pressure GL-5 axle lubricant. Withstands high temperatures encountered during extended high-speed operation and heavy towing. Retains excellent fluidity at cold temperatures. It is a fully synthetic formulation with superior oxidation and thermal stability. Product has a long fluid life with a grape scent.

Synthetic Gear Oil GL-5 (75W-140)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
33.8 oz.	12	10-4053	89021809

PRODUCT DESCRIPTION AND FUNCTION:

An API GL-5 oil for use on the 2004-2006 Pontiac GTO.

Transfer Case Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
33.8 oz.	12	10-4044	88861950

PRODUCT DESCRIPTION AND FUNCTION:
 For use in GM North America for active transfer cases supplied by BorgWarner (BW 4477 2004-2012 DTS with MX7).

VERSATRAK® Transfer Case Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16.9 oz.	12	10-4058	12378514

PRODUCT DESCRIPTION AND FUNCTION:
 Fluid is a blend of synthetic base oils and performance additives specially formulated to give the proper friction characteristics, gear protection, and oxidation resistance needed for the transfer case and carrier assembly differential in the VERSATRAK® All Wheel Drive System.

SPECIAL PRECAUTIONS:
 Do not use VERSATRAK® fluid in standard or limited slip rear axles. Use VERSATRAK® fluid only in applications which specify VERSATRAK® fluid.

Anti-Corrosion Coating



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	1	10-7014	12346501

PRODUCT DESCRIPTION AND FUNCTION:
Product is a black anti-corrosion spray used to repair damaged underbody surfaces.

Anti-Corrosion Compound (Wax-Based)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
12.3 oz.	12	10-6006	12378399

PRODUCT DESCRIPTION AND FUNCTION:
This product is an amber colored, wax-based spray able anti-corrosion compound. It is used in all vehicle cavity areas to treat bare metal or to replace the original materials. Apply to all interior cavity and box areas, interior of wheel openings, front and rear fenders, all interior door areas, inside base or center pillars, lower hatch back, and rear compartment areas.

SPECIAL PRECAUTIONS:
Product should not be sprayed on electrical components, wood trim or fabric.

Medium Body Seam-Sealing Compound



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	12	10-2013	12378500

PRODUCT DESCRIPTION AND FUNCTION:
Product is a seam and joint sealer. It is fast curing, skins over quickly, and can be painted in less than 30 minutes. It stays permanently flexible, withstands weathering, oxidation, salt water, gasoline, and most solvents. Can be used on automotive paint.

SPECIAL PRECAUTIONS:
Do not apply near catalytic converters and mufflers due to extreme heat.

Metal Patch Panel Adhesive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
7.6 oz.	1	10-1015	12378566

PRODUCT DESCRIPTION AND FUNCTION:
Product is a metal bonding adhesive used for patch panel bonding and bonding of dissimilar metals, cab corners, panel sections, and aluminum trailer repair patches.

Micro Brush Package



ACDelco BRANDED
PRODUCT IMAGE
UNAVAILABLE AT
TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
12 Pack	25	10-8041	12378483

PRODUCT DESCRIPTION AND FUNCTION:
Use for automobile paint touch-up, automobile detailing, cleaning small recesses or orifices such as paint gun nozzles, and applying glue to lubricant. Bends easily to enable accurate placement of paint, lubricant, etc., in hard-to-reach locations.

Rubberized Undercoating - Aerosol



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
19.76 oz.	12	10-1017	12378398

PRODUCT DESCRIPTION AND FUNCTION:
This product may be painted with flexibilized automotive enamels or lacquers. Due to the variety of paint processes available, an exact color match may not be possible and the painted surface may develop cracks. Sprays easily, remains flexible after drying, and resists corrosion. It is ideal for automotive undercarriages and door skins.

SPECIAL PRECAUTIONS:
Part is currently not available for sale in California and OTC states.

Rust and Corrosion Inhibitor



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
14 oz.	2	10-6005	19257664

PRODUCT DESCRIPTION AND FUNCTION:
Works as a paint primer over rust. It is designed to help prevent and repair rust and corrosion on the exterior of metal structures, metal parts, and metal structural components. This flexible coating will not yellow, chalk, crack or peel. Meets ASTM A-780 specifications.

Rust Penetrant and Inhibitor




CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
10.8 oz.	12	10-4020	88862628

PRODUCT DESCRIPTION AND FUNCTION:

Product is a rust penetrant that loosens metal fasteners, nuts and bolts, and any other place where metal-to-metal contact occurs. Penetrant is formulated to dissolve lead oxide deposit formation on manifold valve shaft, and lubricants to allow heat control valve to operate freely.

Sound Deadening Pad Pkg



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
7.5" X 19.5" (4 Pads)	1	10-7013	12378195

PRODUCT DESCRIPTION AND FUNCTION:

These pads are designed to absorb vibration in sheet metal panels in conjunction with a sound absorbent material to provide effective sound insulation. Package contains 4 pads, each approximately 7.5 x 19.5. Pads are self-adhesive, flexible, easy-to-cut and paintable.

Structural Bonding Epoxy - Cartridge (Two Parts: 6.4 oz. Resin/6.4 oz. Hardener)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
6.4 oz. x 2	6	10-7015	12345726

PRODUCT DESCRIPTION AND FUNCTION:

This dual cartridge contains a two-part epoxy for structural bonding. Used with the dealer equipment group's body panel adhesive applicator gun on SMC, FRP, GTX, and other rigid plastic parts. Forms an initial bond in 40-50 minutes, full cures takes 24 hours.

GM VEHICLE APPLICATION:

Designed for use on Corvette and U-Van (Montana, Silhouette) panels.

Ultra Violet (UV) Lamp Bulb - 12 Volt DC



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
Bulb	1	10-105	12378176

PRODUCT DESCRIPTION AND FUNCTION:

For use with leak detector U/V lamp kit 12377979.

Ultra Violet (UV) Leak Detector Lamp Kit



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
	1	12377979	12377979

PRODUCT DESCRIPTION AND FUNCTION:

This UV lamp is used to provide the necessary light conditions to detect fluid leaks when using fluorescent dye in radiator, transmission, steering, or brake systems. Replacement bulbs (12378176/10-105) are available for this lamp.

BRAKE CLEANERS AND FLUIDS

Brake and Clutch Fluid, DOT 3 GMW



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	24	10-4090	19299818

PRODUCT DESCRIPTION AND FUNCTION:
ACDelco GMW Brake and Clutch Fluid DOT 3 is recommended for all vehicles requiring DOT 3 brake fluid. This product is compatible with all disc and drum brake systems. It contains enhanced corrosion inhibitors to resist corrosion and excess wear.

SPECIAL PRECAUTIONS:
Follow vehicle manufacturer's recommendations when adding brake fluid.

Brake and Clutch Fluid, DOT 4 GMW



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8.45 oz.	1	10-4086	19299570

PRODUCT DESCRIPTION AND FUNCTION:
ACDelco DOT 4 GMW Brake and Clutch Fluid is a premium brake and hydraulic clutch fluid for systems requiring a FMVSS No. 116 DOT 4, ISO 4925 Class 6. This product is suitable for all applications requiring a DOT 4 performance level brake fluid. The fluid protects internal components from corrosion under normal use and service. This ACDelco DOT 4 GMW fluid meets GMW3356 and exceeds requirements for a wet and dry equilibrium reflux boiling points (Wet ERBP and Dry ERBP) to help prevent vapor lock resulting from boiling of the brake fluid. It can be used where lower cold temperature viscosities are required and where a DOT 4 brake fluid is required.

SPECIAL PRECAUTIONS:
Follow vehicle manufacturer's recommendations when adding brake fluid.

Brake Fluid, DOT 3



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	6	10-4068	88863461

PRODUCT DESCRIPTION AND FUNCTION:
This product is specifically designed and recommended for use in all vehicles requiring DOT 3 brake fluid. It conforms to FMVSS No. 116 (Wet ERBP 284°F), SAE J1703 specifications.

SPECIAL PRECAUTIONS:
Do not add this fluid to DOT 4 systems. Do not mix with DOT 5 fluids. Avoid fluid contact with brake lining or painted surfaces.

Brake Parts Cleaner (10% VOC)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
15 oz.	12	10-6014	19287401

PRODUCT DESCRIPTION AND FUNCTION:
A low VOC brake parts cleaner specially formulated to remove oil, grease, brake fluid, dirt, and contaminants from brake components such as brake shoes, drums, springs, brake plates, calipers, pads, and rotors. It is also an effective cleaner for clutch, transmission and engine parts.

SPECIAL PRECAUTIONS:
This product can be sold in all 50 states.

Brake Parts Cleaner (45% VOC)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
15 oz.	12	10-6013	19287400

PRODUCT DESCRIPTION AND FUNCTION:
This non-chlorinated brake parts cleaner has been specially formulated to remove oil, grease, brake fluid, dirt, and contaminants from brake components such as brake shoes, drums, springs, brake plates, calipers, pads, and rotors. It is also an effective cleaner for clutch, transmission and engine parts.

SPECIAL PRECAUTIONS:
Do not apply to brake linings, plastic or rubber parts (including seals). Protect such parts from over-spray during cleaning. Product is not available for sale in California and OTC states due to VOC regulations.

Carburetor and Choke Cleaner (10% VOC)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
15 oz.	12	10-6016	19287403

PRODUCT DESCRIPTION AND FUNCTION:

Product is a Hexane free, heavy-duty, non-chlorinated aerosol designed to remove dirt and fuel-related gum, varnish and carbon deposits commonly found on carburetors and TBI units. It functions as an effective solvent for the removal of deposits to help restore proper functioning to carburetors and TBI units.

GM VEHICLE APPLICATION:

Products meets VOC requirements and can be sold in all 50 states.

Carburetor Tune-Up Conditioner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
13 oz.	12	X66-A	12302498

PRODUCT DESCRIPTION AND FUNCTION:

This product contains solvents and penetrating agents designed to remove gum, carbon, and other deposits from the fuel induction system. It frees sticky valves and sluggish compression rings, and removes excessive deposits from the combustion chamber.

SPECIAL PRECAUTIONS:

For best results, X66-A should be used in conjunction with an engine tune-up.
Not for sale in California or OTC states.

ANTIFREEZE/COOLANTS

Coolant System Fluorescent Tracer Dye

ACDelco BRANDED
PRODUCT IMAGE
UNAVAILABLE AT
TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 oz.	24	10-5057	12378563

PRODUCT DESCRIPTION AND FUNCTION:
Fluorescent leak detection dye for traditional coolant systems. Quickly pinpoints the exact location of coolant fluid leaks. It is a safe, easy method that helps eliminate guesswork, save labor and speed service. May also be used to isolate power steering system leaks.

GM VEHICLE APPLICATION:
Can be used with DEX-COOL® but may change the color of the coolant. For dye that will not change long life coolant color use 10-5046.

DEX-COOL® 50/50 Premix



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 gal.	6 (24 unit minimum order)	10-5027	12378390
55 gal. drum	1	10-5038	88864314

PRODUCT DESCRIPTION AND FUNCTION:
DEX-COOL® 50/50 Premix - ACDelco DEX-COOL® 50/50 Premix Antifreeze/Coolant is a premium grade coolant designed to specifically meet hybrid car and truck requirements. This coolant is based on a carboxylate technology and has the properties needed to optimize the efficiencies of the new hybrid vehicles. In addition, this product meets GM Specification 9986100 and ASTM D3306 and is safe for use in GM Hybrid Cooling Systems.

DEX-COOL® Extended Life



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 gal.	6 (24 unit minimum order)	10-101	12346290
55 gal. drum	1	10-125	12378512
1 gal.	216 (pallet)	N/A	12378464

PRODUCT DESCRIPTION AND FUNCTION:
5 years/150,000 miles of protection. Silicate and phosphate-free. Superior water pump life. May also be used for service of 1994-95 GM vehicles except 1994 Cavaliers/Sunfires with 4-cylinder engines, but must be replaced every 2 years/30,000 miles whenever it is used in a vehicle not originally made to use DEX-COOL®. In an effort to improve the quality of your Vehicle Care shipment, a minimum order of four (4) cases has been established for the following part numbers: Coolant 12378560 and DEX-COOL® 12346290. Any orders not placed in multiples of 24 will be automatically increased to the next multiple.

GM VEHICLE APPLICATION:
For use with all GM vehicles. This is the only coolant that may be used for all GM vehicles '96 and later.

SPECIAL PRECAUTIONS:
Must never be mixed with other types of coolant. In compliance with the Oregon Toxic Household Act, Antifreeze Products can only be purchased for use in professional vehicle repair facilities and cannot be displayed for sale or sold to consumers. By ordering this product, you agree not to sell it to customers in Oregon.

Traditional Coolant 50/50 Pre-Mix

ACDelco BRANDED
PRODUCT IMAGE
UNAVAILABLE AT
TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 gal.	6 (24 unit minimum order)	10-5035	19284982
55 gal. drum	1	10-5033	19286315

PRODUCT DESCRIPTION AND FUNCTION:
A high-boiling, non-evaporating antifreeze-coolant preparation containing chemical ingredients to protect against rust and corrosion. Can be used with either low- or high-opening thermostats and at high altitudes. It will not harm rubber hoses, pump seals, or gaskets. GM Antifreeze-Coolant mixes perfectly with water, flows freely and transfers heat efficiently. Protects to -34F. Protects aluminum components.

Traditional Coolant Concentrate



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 gal.	6 (24 unit minimum order)	10-5034	12378560
55 gal. drum	1	10-5032	12378561
1 gal.	216 (pallet)	N/A	12378562

PRODUCT DESCRIPTION AND FUNCTION:
A high-boiling, non-evaporating antifreeze-coolant preparation containing chemical ingredients to protect against rust and corrosion. Can be used with either low- or high-opening thermostats and at high altitudes. It will not harm rubber hoses, pump seals, or gaskets. GM Antifreeze-Coolant mixes perfectly with water, flows freely and transfers heat efficiently. Protects to -34F. Protects aluminum components.

GM VEHICLE APPLICATION:
For 1995 and prior vehicles except medium-duty truck.

SPECIAL PRECAUTIONS:
Do not add to cooling systems that require DEX-COOL®. In compliance with the Oregon Toxic Household Act, Antifreeze Products can only be purchased for use in professional vehicle repair facilities and cannot be displayed for sale or sold to consumers. By ordering this product, you agree not to sell it to customers in Oregon.

Diesel Exhaust Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 gal.	4	10-4022	19286291
2.5 gal.	2	10-4023	19286292
55 gal. drum	1	10-4026	88863494
330 gal. tote	1	10-4027	88863495

PRODUCT DESCRIPTION AND FUNCTION:

ACDelco Diesel Exhaust Fluid is an Aldehyde free, Nox reducing treatment for diesel engines equipped with a Selective Catalytic Reductions (SCR) System. Meets the stringent AUS 32, ISO 22241 standards for purity and concentration.

SPECIAL PRECAUTIONS:

Store below 68° F (20° C). Protect against direct sunlight. Use or store only as directed.

Diesel Exhaust Fluid Nozzle



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 gal.	1	10-4024	19286318
2.5 gal.	1	10-4025	19286319

PRODUCT DESCRIPTION AND FUNCTION:

SPECIAL PRECAUTIONS:

To prevent the potential of fluid contamination, use the GM approved nozzle ONLY with Diesel Exhaust Fluid.

FUEL SYSTEM

Diesel Fuel Conditioner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	6	10-3009	88861009

PRODUCT DESCRIPTION AND FUNCTION:
 Product is an effective detergent/dispersant additive designed to remove fuel injector, intake valve, and combustion chamber deposits. It contains components that also act as an antioxidant, corrosion inhibitor, and fuel stabilizer.

Fuel System Treatment Plus



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
12 oz.	6	10-3004	88861262
20 oz.	6	10-3003	88861013

PRODUCT DESCRIPTION AND FUNCTION:
 An in-the-tank fuel additive that works on the entire fuel system to help clean carbon deposit buildup and protect sensitive fuel system components from corrosive elements in the fuel (sulfur, water, etc.). Product helps clean deposits from fuel injectors, carburetors, intake ports, intake valves, and combustion chambers. Product also helps clean and restore sensitive electronic fuel sending units from harmful sulfur and other corrosive elements, prevents fuel gauge malfunction caused by harmful corrosive components found in some gasoline, and protects the entire fuel system by coating all metallic surfaces. This protection has been shown to last for thousands of miles.

Top Engine Cleaner - Aerosol



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
18 oz.	6	10-3007	1052626

PRODUCT DESCRIPTION AND FUNCTION:
 Cleans fuel injectors, intake manifolds, intake and exhaust valves, pistons, heads, and combustion chambers. Removes gum, varnish, and carbon to make tough tune-ups easy and long-lasting. This first step in tune-up cleaners will help eliminate deposits that may cause rough idle, stalling, hesitation, pings, and run-on. For best results it should be used in conjunction with an engine tune-up.

GM VEHICLE APPLICATION:
 For use with 6-cylinder and 8-cylinder carbureted engines. Use part number X66-A for 4-cylinder engines.
SPECIAL PRECAUTIONS:
 Not for sale in California and other OTC states.

Upper Engine and Fuel Injector Cleaner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	6	X66P	88861803

PRODUCT DESCRIPTION AND FUNCTION:
 Product is a low VOC compliant formulation that quickly delivers engine deposit cleaning. Product has multiple service applications including in-rail fuel injector cleaning, engine intake system deposit removal, and piston top soaking clean-up. Product helps restore low power, reduce emissions, reduce octane appetite, eliminate deposit related carbon rap, knocking, pinging, hesitation, stalling and run-on or dieseling.

SPECIAL PRECAUTIONS:
 This product is to be applied in closed systems only. Do not use product in the fuel tank.

Anti-Seize Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz.	2	10-4067	88862477

PRODUCT DESCRIPTION AND FUNCTION:
 Product includes a brush that applies the lubricant as a liquid that becomes a dry film. The dry film makes threaded parts easier to install. This product is oxygen sensor safe, non-greasy, and withstands up to 2400°F.

Brake Caliper Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4.2 cc	1	10-4065	89022161

PRODUCT DESCRIPTION AND FUNCTION:
 A synthetic lubricating oil used on brake calipers to help mitigate noise from the piston to seal interface.

Brake Caliper Lubricant - Cartridge



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
14 oz.	1	10-4077	12377969

PRODUCT DESCRIPTION AND FUNCTION:
 Provides a water-resistant coating on brake caliper slide surfaces. This product is required to equalize pressure between inner and outer brake pads. With regular use it can help extend brake pad life.

GM VEHICLE APPLICATION:
 Required for periodic maintenance of medium-duty truck brake caliper.

Chassis Grease - Cartridge



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
14 oz.	6	10-4060	12377985

PRODUCT DESCRIPTION AND FUNCTION:
 A premium grease consisting of oil, lithium thickening agents, and special lubricants used for chassis lubrication.

SPECIAL PRECAUTIONS:
 Not for use as a wheel bearing grease.

Clutch Release Bearing Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1.69 oz.	1	10-4073	12378484

PRODUCT DESCRIPTION AND FUNCTION:
 This product is a special blend of lithium complex thickening agents, oils and lubrication additives. It is a grease suitable for both medium and high temperature applications. It aids in lubricity and quiets noisy parts.

SPECIAL PRECAUTIONS:
 This part is not for sale in the State of California and OTC states.

Dielectric Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
2 oz.	12	10-4071	12377900

PRODUCT DESCRIPTION AND FUNCTION:
 Used to protect electrical terminals from moisture, oxidation, and corrosion and to ease the assembly of electrical connectors.

Dielectric Silicone Grease



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 oz.	6	10-4064	12345579

PRODUCT DESCRIPTION AND FUNCTION:
 A silica thickened dimethyl silicone fluid. Broad temperature range: -65°F to 400°F. Product is non-corrosive, oxidation resistant, electrically insulating, radiation resistant, chemical resistant, and water repellent.

GM VEHICLE APPLICATION:
 Lubricates and seals spark plug boots.
SPECIAL PRECAUTIONS:
 Grease will attack silicone rubber.

LUBRICANTS/GREASES - Continued

Dri-Slide Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
5.25 oz.	6	10-4040	1052948

PRODUCT DESCRIPTION AND FUNCTION:

This product has a high load carrying capacity, corrosion properties, and metal-to-metal wear protection. The product starts as a thin liquid that allows it to creep into the smallest spaces, then cures to leave a dry film. The mineral spirit blend, when applied, evaporates to leave a film that will not attract dust, dirt, or grit, and is makes it resistant to water. Non-chlorinated, VOC compliant.

SPECIAL PRECAUTIONS:

GM recommends this product only for the specific purposes listed on the product label. GM does not recommend the use of this product as an additive to engine oil.

E.O.S. Assembly Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	12	10-4021	88862587

PRODUCT DESCRIPTION AND FUNCTION:

This product is specially formulated as an engine assembly lubricant that helps provide protection against run-in wear and piston scuffing, as well as run-in camshaft lobe and lifter scuffing resulting from insufficient lubrication.

SPECIAL PRECAUTIONS:

GM recommends this product only for the specific purposes listed on the product label. GM does not recommend the use of this product as an additive to engine oil.

Gear Marking Compound



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 oz.	12	10-5055	1052351

PRODUCT DESCRIPTION AND FUNCTION:

A dark yellow colored grease that is used to mark ring gear teeth to determine contact points.

SPECIAL PRECAUTIONS:

Not for sale in California or OTC states.

High-Temperature Grease



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1.75 oz.	6	10-4048	12345996

PRODUCT DESCRIPTION AND FUNCTION:

This product is a high temperature grease with a special blend of lithium complex thickening agents, oils and lubrication additives. It is a high quality grease suitable for both medium and high temperature applications. Provides high temperature protection and has high performing lubricating properties. It is a special ivory-colored, high-temperature grease with petroleum oil, special lubricity additives and thickening elements. It is water-resistant, even with salt water. It aids in lubricity and helps quiet noisy parts.

GM VEHICLE APPLICATION:

Idea for wheel bearing applications.

SPECIAL PRECAUTIONS:

Not for sale in California or OTC states.

Hydraulic Fluid (Aeroshell 41)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-5041	88863458

PRODUCT DESCRIPTION AND FUNCTION:

This product is a mineral oil based super clean hydraulic fluid containing an oxidation inhibitor and a non-zinc anti-wear additive. It is dyed red for identification and leak detection purposes. It may be used in hydraulic systems where very low temperature flow properties are desired, synthetic rubber seals are in use and super clean solid particle contaminants standards are required.

GM VEHICLE APPLICATION:

For use on 2010+ SRX, CTS, Equinox and Terrain lift-gates.

SPECIAL PRECAUTIONS:

Not recommended for systems using natural rubber seals.

Moisture Displacing Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
12 oz.	12	10-4045	88862629

PRODUCT DESCRIPTION AND FUNCTION:

This product is a special lubricant used to help displace moisture, quiet squeaks, and penetrate rust to free corroded nuts and bolts. It has corrosion protection properties and is a clear and clean lubricant. Product is VOC compliant.

Multi-Purpose Grease (Aerosol)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	6	10-4038	89021668

PRODUCT DESCRIPTION AND FUNCTION:

ACDelco Multi-Purpose Grease is a light-colored, medium density grease type lubricant. It sprays like a fluid and gels to a grease. It has a high level of water resistance and acid resistance. It is excellent in close tolerance situations where no grease fitting exists. ACDelco Multi-purpose Grease will not dry up and it resists temperatures up to 265° F.

GM VEHICLE APPLICATION:

ACDelco Multi-Purpose Grease can be applied to hood and truck releases, latches, striker plates, ash tray slides, door hinges and locks, cables and battery terminals. It lubricates hood latches, door hinges, locks, striker plates, springs, catches, and mechanical devices.

SPECIAL PRECAUTIONS:

Shake well before using (for best results use at normal room temperature).

Multi-Purpose Lubricant with PTFE - Cartridge

ACDelco BRANDED PRODUCT IMAGE UNAVAILABLE AT TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
14 oz.	1	10-4072	89022180

PRODUCT DESCRIPTION AND FUNCTION:

This Teflon lubricant is intended for wide temperature lubrication of bearings, sliding surfaces, and small gear trains. It is compatible with most ester-vulnerable plastics and polymers. The PTFE filler helps provide improved lubricity and low temperature starting torque.

Nickel Anti-Seize Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz.	12	10-4039	12371386

PRODUCT DESCRIPTION AND FUNCTION:

This product is a heavy duty, lead-free anti-seize lubricant for temperatures up to 1300°C. It can be used on injectors and glow plugs used in aluminum cylinder heads.

SPECIAL PRECAUTIONS:

This product contains hydrocarbons -- do not use on oxygen sensors.

PTU Synthetic Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	1	10-4076	19256084

PRODUCT DESCRIPTION AND FUNCTION:

This is an enhanced, specially formulated, full synthetic 75W-90 hypoid gear lubricant. It helps provide improved performance and is custom formulated for use on American Axle products. This product is specifically designed for the GM MH4, 6T70 automatic transmission. It also meets all of the performance requirements per MIL-PRF-2015E and GL-5.

Rubber Lubricant

SUPPLIER BRANDED PRODUCT IMAGE UNAVAILABLE AT TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
5 gal.	1	10-4078	12345884

PRODUCT DESCRIPTION AND FUNCTION:

An odorless, slightly viscous clear liquid specifically formulated to meet GM rubber lubrication requirements. It is especially suited for use as a lubricant in any manual or automatic tire-mounting operation. The material is water-based and any residues can be rinsed off with tap water.

Silicone Brake Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
8 oz.	12	10-4019	88862182

PRODUCT DESCRIPTION AND FUNCTION:

Lubricant is a PTFE thickened silicone compound containing specially selected premium silicone oils and high levels of PTFE. It combines the temperature corrosion and water resistance, typical of silicone compounds, with the outstanding lubrication properties of PTFE. Product is compatible with most rubber and plastic compounds.

Silicone Dielectric Grease



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 oz. tube	6	10-4083	19260901

PRODUCT DESCRIPTION AND FUNCTION:
 ACDelco Silicone Dielectric Grease is designed primarily for automotive spark plug boots and electrical connectors. The grease may also be used as a seal and lubricant for cable connectors, battery terminals, rubber door seals, and plastic o-rings. A PTFE (Teflon) thickened silicone grease that has a broad temperature range (-40°F to 392°F), excellent dielectric strength, oxidation resistant, water repellent, non-corrosive, chemically inert (except toward silicone rubber), and long shelf life.

GM VEHICLE APPLICATION:
 Do not apply grease to components made of silicone rubber.

Super Lube®



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	12	12346241	12346241

PRODUCT DESCRIPTION AND FUNCTION:
 For use on metal, rubber, and plastics. Sprays as a liquid, gels to a grease. Lubricant can be used for metal, rubber, and plastics.

Super Lube® with PTFE



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
3 oz.	6	10-4057	12371287

PRODUCT DESCRIPTION AND FUNCTION:
 A fully synthetic lubricant that is useful over a wide temperature range (-45°F to 400°F), impervious to salt and fresh water, highly lubricious, less friction, will not attack plastic parts.

GM VEHICLE APPLICATION:
 For use on door hinges, battery terminals and sliding tracks. Can also be used on weather-stripping, spark plug boots, O-ring assembly, seat tracks/pivot hinges, and lock strikers. Holes drilled during accessory installation can be coated with this product.

Supercharger Oil



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4 oz.	12	10-4041	12345982

PRODUCT DESCRIPTION AND FUNCTION:
 Used to help keep supercharger bearings operating properly.

SPECIAL PRECAUTIONS:
 Not for sale in California or OTC states.

Synthetic Multi-Purpose Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1.75 oz.	1	10-4066	88861426

PRODUCT DESCRIPTION AND FUNCTION:
 Product provides anti-wear and pressure protection. Is used for lubrication of actuator rod knob/base assembly for 2007+ GMC Acadia, 2007+ Saturn Outlook, and 2008+ Buick Enclave.

Synthetic Multi-Purpose Lubriplate Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 lb.	1	10-4063	19257121

PRODUCT DESCRIPTION AND FUNCTION:
 This product is intended for transmission slip yoke applications. It has shear stability, load carrying capacity, ferrous corrosion protection, and is resistant to water.

SPECIAL PRECAUTIONS:
 Do not mix with other grease.

Weatherstrip Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 oz.	1	10-4074	3634770

PRODUCT DESCRIPTION AND FUNCTION:
 This easily applied lubricant has a low evaporation rate, is insoluble in all common solvents, and does not react with paint or adhesives. It is non-flammable, odorless, and colorless. It is used in many automotive applications to help reduce squeaks and rattles.

Wheel Bearing Lubricant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	12	10-4042	1051344

PRODUCT DESCRIPTION AND FUNCTION:

A special blend of lithium complex thickening agents, oils, and lubrication additives. Grease is suitable for both medium- and high-temperature applications. Good water washout resistance. This product is a NLGI certified, No. 2 GC-LB grease.

GM VEHICLE APPLICATION:

See service manual for vehicle application.

SPECIAL PRECAUTIONS:

Not for sale in California or OTC states.

PAINTS

Car Trunk (Black/Aqua) Spatter Paint



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
13 oz.	6	10-7012	1051499

PRODUCT DESCRIPTION AND FUNCTION:

This product is for use in trunk reconditioning and/or trunk repair. It is mar and abrasion resistant. Shelf life not affected by freezing. Apply directly to bare metal or previously coated surfaces.

Car Trunk (Gray/White) Spatter Paint



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
13 oz.	6	10-7011	1051498

PRODUCT DESCRIPTION AND FUNCTION:

This product is for use in trunk reconditioning and/or trunk repair. It is mar and abrasion resistant. Shelf life not affected by freezing. Apply directly to bare metal or previously coated surfaces.

High Gloss Black Aerosol Engine Enamel Paint



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	6	10-8037	89021940

PRODUCT DESCRIPTION AND FUNCTION:

Product is non-drip, provides moisture protection, is tack-free in five minutes, and has a hard film in ten minutes. It is dry-to-the touch in 30 minutes. No CFC chemicals. No blushing, bubbling, or lifting.

GM VEHICLE APPLICATION:

Can be applied to engines, transmissions, motors, and other equipment.

Low Gloss Black Aerosol Engine Enamel Paint



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	6	10-8036	89021939

PRODUCT DESCRIPTION AND FUNCTION:

Product is non-drip, provides moisture protection, is tack-free in five minutes, and has a hard film in ten minutes. It is dry-to-the touch in 30 minutes. No CFC chemicals. No blushing, bubbling, or lifting. Oil and gas resistant. Resists temperatures to 500°F.

SPECIAL PRECAUTIONS:

Not intended for high heat exhaust components, headers, mufflers, or tailpipes.

ACDELCO TOUCH-UP PAINTS AND PAINT GUIDE



HIGH VISIBILITY AT LOW COST

The sturdy, standard metal display rack holds 24 1/2-ounce tubes.

CURRENTLY AVAILABLE TO GM DEALERS ONLY - STANDARD METAL RACK (FOR TOUCH-UP PAINT TUBES ONLY)

Dimensions:
15" high x
8" wide x
5" deep

Part Number: 9M904625*

Touch-up paint tubes and aerosol cans are consolidated into charts by model year, then by model size. Paint charts can be located on GM Dealer World and AC Delco EPIC. Under Publication type click on Periodicals, under Keywords type in Paint and hit enter.

The touch-up paints are listed by the "WA" (four digit) code. This code is the proper method for choosing paint. Each paint color has only one specific "WA" code.

When ordering tubes or aerosol cans provide a mailing address and a P.O. Box.

Touch-up paint does not qualify for an order level discount.

*Touch-up paint not included

POWER STEERING FLUIDS

Cold Climate Power Steering Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	12	10-5043	12345866
32 oz.	12	10-5044	12345867

PRODUCT DESCRIPTION AND FUNCTION:

A partially synthetic power steering fluid with exceptional low-temperature properties and increased oxidation stability. This product is specifically recommended for extreme cold climate conditions with temperatures below -20°F. Low-temperature fluidity. Minimizes pump squeal. Inhibits corrosion. Non-foaming. Helps improve power steering response in cold weather.

GM VEHICLE APPLICATION:

Vehicles equipped with rack-and-pinion power steering systems used in cold climate.

Electro-Hydraulic Power Steering Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
33.8 oz.	6	10-5050	88901975

PRODUCT DESCRIPTION AND FUNCTION:

Synthetic oil for central hydraulic systems, level control, hydro pneumatic suspension, shock absorber, and power steering.

SPECIAL PRECAUTIONS:

Product should not be mixed with ACDELCO CHF7.1 or any other hydraulic oil.

Power Steering Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	12	10-5031	89021185
32 oz.	12	10-5030	89021182

PRODUCT DESCRIPTION AND FUNCTION:

An amber-colored, light-bodied mineral oil that contains a specially developed additive package to provide good performance in power steering systems. It also helps in reducing power steering noise. Formulated to provide anti-corrosive and non-foaming qualities with lubrication for year-round use.

GM VEHICLE APPLICATION:

For use in GM vehicles with regular hydraulic power steering systems.

Flange Sealant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
2.87 oz.	1	10-2017	88861422

PRODUCT DESCRIPTION AND FUNCTION:

This sealant is ideally suited for use as a gasket dressing. It is a non-setting and non-hardening compound with resistance to joint vibration, shock and thermal expansion. It is resistant to most automotive fluids. It is a non-slump thixotropic gel designed to seal close fitting flanges against most lubricants and automotive fluids. It is designed to fill and seal all surface imperfections in the flange surfaces.

Gasket Maker



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1.69 oz.	4	10-2007	1052943

PRODUCT DESCRIPTION AND FUNCTION:

A liquid anaerobic gasket in a tube. This flexible gasketing material provides quick sealing when assembled flanges are mated with a seal of guaranteed integrity. Adheres well to: aluminum, steel, iron, and magnesium. Cures instantly.

Gasket Sealing Compound



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	12	10-2018	1050026

PRODUCT DESCRIPTION AND FUNCTION:

A universal sealant used by the automotive, truck, marine, and aviation industries. This product does not harden or dry out and can withstand temperatures of -50°F to 400°F to help extend the life of all gasket materials. It is designed to provide a better seal against compression leaks, water or antifreeze leaks, oil leaks, gasoline leaks, and pressure or vacuum leaks. It also helps prevent corrosion of bolt, stud, and fitting threads.

High-Temperature, High-Strength Threadlocker - Red



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
.34 oz.	10	10-1006	89021297

PRODUCT DESCRIPTION AND FUNCTION:

A high-strength, anaerobic threadlocker and sealer that cures only when confined between surfaces. This product has permanent thread locking capability and is recommended for high-temperature applications. It will prevent fastener loosening and seal out rust and corrosion. Maintains clamp load resulting in increased reliability of assembled components. High-strength threadlocking for steel fasteners 3/8 and larger.

SPECIAL PRECAUTIONS:

Not recommended for soft metals or plastic parts.

Medium-Strength Threadlocker - Blue



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
.20 oz.	10	10-1009	12345382

PRODUCT DESCRIPTION AND FUNCTION:

A medium-strength threadlocker and sealant that cures only when confined between surfaces. A unique coating applied to threaded parts that converts ordinary fasteners into self-locking, self-sealing fasteners. Prevents loosening of nuts, bolts, screws, and fittings. Seals out corrosion and prevents air, oil, and fuel leakage. Cures without cracking or shrinking.

SPECIAL PRECAUTIONS:

Not recommended for plastic parts.

Pipe Sealant with PTFE



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1.69 oz.	5	10-2008	12346004

PRODUCT DESCRIPTION AND FUNCTION:

An instant-sealing, low odor sealant for all threaded connections. Repositionable up to four hours. Ideal for sensor installation, except oxygen sensors. Seals machine and tapered threads. Seal threaded fittings and locks against vibrational loosening in air conditioning, brake line, and fuel line systems.

RTV Engine Sealant - Cartridge



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
5.3 oz.	6	10-2010	12378521

PRODUCT DESCRIPTION AND FUNCTION:

A one-component, room-temperature vulcanizing (RTV) sealant. A high viscosity product that cures when exposed to air. The cured material has superior adhesion and elongation properties and is very resistant to engine oils and coolants and will not corrode metals. The assembly may be filled with oil or coolant immediately after applying sealant and torquing the bolts.

SPECIAL PRECAUTIONS:

Surface should be free of residual fluids such as oil and coolant, as well as detergent residuals. Joints should be closed within 20 minutes of sealant application. Final tightening should be done within one hour of sealant application and joint closure.

RTV Engine Sealant - Tube



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
2.65 oz.	6	10-2006	88864346

PRODUCT DESCRIPTION AND FUNCTION:

A one-component, room-temperature vulcanizing (RTV) sealant. A high viscosity product that cures when exposed to air. The cured material has superior adhesion and elongation properties and is very resistant to engine oils and coolants and will not corrode metals. The assembly may be filled with oil or coolant immediately after applying sealant and torquing the bolts.

SPECIAL PRECAUTIONS:

Surface should be free of residual fluids such as oil and coolant, as well as detergent residuals. Joints should be closed within 20 minutes of sealant application. Final tightening should be done within one hour of sealant application and joint closure.

RTV Silicone Sealant - Red



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
2.8 oz. tube	6	10-2019	12378478

PRODUCT DESCRIPTION AND FUNCTION:

Non-corrosive to ferrous metals and resists elevated temperatures. Adheres to a variety of substances including glass and most metals. Utilizes a non-acid curing system. Surface must be clean and free of all oil. Highly resistant to hot hypoid gear oil, resists synthetic axle lubricants.

GM VEHICLE APPLICATION:

Recommended for all axle sealing applications.

SPECIAL PRECAUTIONS:

Not recommended for engine applications.

RTV Silicone Sealant - RTV 5900 - Cartridge



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
5 oz.	6	10-2009	12346286

PRODUCT DESCRIPTION AND FUNCTION:

Immediate pressure resistance. Oxygen sensor safe.

SPECIAL PRECAUTIONS:

Not recommended for axle and engine applications.

RTV Silicone Sealant - RTV 5900 - Power Can



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
4 oz.	1	10-2014	12378479

PRODUCT DESCRIPTION AND FUNCTION:

Immediate pressure resistance. Oxygen sensor safe.

SPECIAL PRECAUTIONS:

Not recommended for axle and engine applications.

Sealant



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
10.3 oz.	1	10-2012	19245469

PRODUCT DESCRIPTION AND FUNCTION:

This product is a one-part, room temperature curing (RTV) acrylic-based sealant. After curing, the sealant becomes a rubber-like elastic body excelling in heat resistance, cold resistance, and oil resistance. The heat resistance and cold resistance ensures satisfactory rubber-like elasticity in a wide range from 30°C to 150°C. It is a paintable type of sealant suitable for sealing areas of parts to be painted after the parts are assembled.

Silicone Sealant

ACDelco BRANDED
PRODUCT IMAGE
UNAVAILABLE AT
TIME OF PRINTING

CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
3 oz.	1	10-2011	89020326

PRODUCT DESCRIPTION AND FUNCTION:

High performance, room temperature vulcanized (RTV) silicone commonly used as a formed-in-place gasket. It is characterized by good elasticity, temperature resistant, and chemical resistant after curing. Has good automatic transmission fluid resistance.

SPECIAL PRECAUTIONS:

Not recommended for engine applications.

TRANSMISSION FLUIDS

Automatic Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4056	22717466

PRODUCT DESCRIPTION AND FUNCTION:
Is designed for smoother shifting at low and high temperatures. Protects seals and "O" rings with special ingredients. Low oxidation rate for longer transmission fluid change intervals.

GM VEHICLE APPLICATION:
For Z1 transmissions, code MJ7 and MJ8.

Automatic Transmission Seal Conditioner



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
11 oz.	12	10-3008	88861314

PRODUCT DESCRIPTION AND FUNCTION:
Is designed to stop minor leaks or seepage of transmission fluid at the seals in automatic transmissions. This product contains seal swell, antioxidant, and discrepancy additives used in formulating Dex III automatic transmission fluids.

AW-1 Automatic Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	1	10-4062	19256039

PRODUCT DESCRIPTION AND FUNCTION:
This fluid provides protection against wear in the clutch and gears, as well as foaming and oxidation resistance.

GM VEHICLE APPLICATION:
Special application specific fluid for use in 2011 SRX with LF1 and Lacrosse with LHU. Designed for use in Aisin Warner transmissions.
SPECIAL PRECAUTIONS:
Not approved for use where DEXRON-VI is recommended.

BOT 303 Modified Manual Transmission Fluid GL-4 (SAE 70W)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	6	10-4037	19259104

PRODUCT DESCRIPTION AND FUNCTION:
Provides good shifting movements and transmission efficiency in cold weather.

GM VEHICLE APPLICATION:
Refer to owner manual/service manual for specific vehicle application and usage instructions.

Dex-CVT Automatic Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	6	10-4035	15234609
1 gal.	6	10-4036	15250985

PRODUCT DESCRIPTION AND FUNCTION:
Refer to the Owner Manual for use, filling and change recommendations.

GM VEHICLE APPLICATION:
For 2002-2007 Saturn ION and VUE vehicles with VT25E (VTI) transaxle (RPO M75).

Dex-CVT Automatic Transmission Fluid Additive



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
10 cc	1	10-3006	15231847

PRODUCT DESCRIPTION AND FUNCTION:
This product is a heterogeneous mixture of active and inert chemical components for use in anti-foaming and anti-air entrainment applications.

GM VEHICLE APPLICATION:
2002-2005 Saturn Vue and Saturn ION with continuously variable transmissions (CVT). Use entire syringe in one transmission.

DEXRON®-VI Automatic Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-9029	88861037
1 gal.	4	10-9030	88861954
55 gal. drum	1	10-9035	88861046

PRODUCT DESCRIPTION AND FUNCTION:
The most recent release of the DEXRON® series of automotive transmission fluids.

GM VEHICLE APPLICATION:
See service manual for additional application.

Hydraulic Pump Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
16 oz.	1	10-5056	88865214

PRODUCT DESCRIPTION AND FUNCTION:
 Designed with oxidation stability reducing deposit formation and helping to improve pump and valve performance. Developed to meet the stringent requirements of severe hydraulic systems using high pressure, high output pumps, as well as handling the critical requirements of other hydraulic system components. This fluid offers viscosity control over a wide temperature range making it particularly suited for equipment subjected to wide seasonal temperature variations.

LSC 301 Manual Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 l	1	10-4070	88863349

PRODUCT DESCRIPTION AND FUNCTION:
 A long-life, partial synthetic oil with friction characteristics that prevent clutch stick slip. Has good lube and shear performance. Fluid helps prevent corrosion and is compatible with clutch elastomers. It is a genuine and unique oil that manages temperatures as low as -30°C to as high as 140°C. This oil helps maintain a homogen friction characteristic throughout its lifetime.

Manual Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4033	88861800

PRODUCT DESCRIPTION AND FUNCTION:
 Petroleum based manual transmission fluid for lubrication/service of 2007+ manual transmissions and transfer cases.

Manual Transmission Fluid GL-3 (75W-90)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4030	89021806

PRODUCT DESCRIPTION AND FUNCTION:
 For use in MA5 manual transmissions.

Manual Transmission Fluid GL-4 (SAE 75W-85)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	6	10-4055	88862472

PRODUCT DESCRIPTION AND FUNCTION:
 This transmission oil has good gear and shifting properties in the cold.

GM VEHICLE APPLICATION:
 For filling 2011 and older vehicles as specified in service information. For 2012 and newer vehicles use 10-4037.

Synchromesh Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4006	88900333

PRODUCT DESCRIPTION AND FUNCTION:
 This fluid has lubrication properties and does not break down. Helps withstand high temperatures and functions well in low temperatures. Amber-colored, light-bodied, partially synthetic manual transmission fluid.

GM VEHICLE APPLICATION:
 See service manual for GM vehicle application.

Synchromesh Transmission Fluid Friction Modified



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	6	10-4014	88900399

PRODUCT DESCRIPTION AND FUNCTION:
 A semi-synthetic lubricant. Product is highly friction-modified to reduce transmission component wear.

GM VEHICLE APPLICATION:
 For use in NVG 1500 manual transmissions. See service manual for GM vehicle application.

TRANSMISSION FLUIDS - Continued

Synthetic Manual Transmission Fluid (SAE 50)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
1 gal.	4	10-4080	88861952

PRODUCT DESCRIPTION AND FUNCTION:

Is a specially formulated lubricant designed for severe service in heavy duty manual transmissions. It is a high temperature lubricant with all-climate lubricating properties. This product contains rust, oxidation and corrosion inhibitors. It meets all of the requirements of Eaton PS-164 and Meritor O-81 for extended drain service. It also helps reduce component wear and promote longer transmission life.

Synthetic Manual Transmission Fluid GL-4 (75W-90)



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	6	10-4059	12346190

PRODUCT DESCRIPTION AND FUNCTION:

A fully synthetic fluid that can withstand high temperatures and extreme pressures in constant use. Stable against thermal and oxidation breakdown.

GM VEHICLE APPLICATION:

See service manual for application.

Synthetic Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	12	10-4029	12378515

PRODUCT DESCRIPTION AND FUNCTION:

This product is a high viscosity index synthetic base fluid that provides high/low temperature performance. It offers corrosion and foaming resistance, shear stability, and thermal and oxidation stability.

GM VEHICLE APPLICATION:

Specifically formulated for the GM manual 6-speed transmission in CK trucks with RPO ML6.

T-IV Automatic Transmission Fluid



CONTAINER SIZE	UNIT PACKAGE	ACDELCO PART NO.	GM PART NO.
32 oz.	6	10-4028	88900925

PRODUCT DESCRIPTION AND FUNCTION:

Refer to the Owner Manual for use, filling and change recommendations.

GM VEHICLE APPLICATION:

For GM vehicles with Aisin AF33 transmissions (2005-2009 Equinox, 2006-2009 Torrent, Pontiac Vibe, Saturn ION, Saturn Astra, and Saturn VUE).

Help your customers get the most from their investment with genuine ACDelco automotive fluids and chemicals. Specially formulated to keep America moving.

